

Revisión / Review

Traditional medicinal uses and biological activities of species of the genus *Desmodium*: a literature review

[Usos medicinales tradicionales y actividades biológicas de las especies del género *Desmodium*: una revisión de la literatura]

Alexander Cueva-Chamba¹, Freddy Bustamante-Pacheco¹, David Vanegas² & Eugenia Peñaherrera²

¹School of Biochemistry and Pharmacy, Faculty of Chemistry, Universidad de Cuenca, Cuenca, Ecuador

²Department of Biosciences, Group of Medicinal Plants and Natural Products, Faculty of Chemistry, School of Biochemistry and Pharmacy, Universidad de Cuenca, Cuenca, Ecuador

Reviewed by:
Araldo L. Bandoni
Universidad de Buenos Aires
Argentina

José L. Martínez
Universidad de Santiago de Chile
Chile

Correspondence:
Eugenia PEÑAHERRERA
eugenia.penherrera@ucuenca.edu.ec

Section Review

Received: 5 April 2022
Accepted: 5 June 2022
Accepted corrected: 12 December 2022
Published: 30 November 2023

Citation:
Cueva-Chamba A, Bustamante-Pacheco F,
Vanegas D, Peñaherrera E
Traditional medicinal uses and biological activities
of species of the genus *Desmodium*:
a literature review

Bol Latinoam Caribe Plant Med Aromat
22 (6): 700 - 746 (2023).
<https://doi.org/10.37360/blacpma.23.22.6.51>

Abstract: The genus *Desmodium* includes about 350 species, distributed in tropical and subtropical regions around the world. The objective of this review was to associate the traditional medicinal uses of the genus *Desmodium* with its biological activities reported in the scientific literature. Traditional medicinal uses and biological activities were described in 56 species. More than 100 traditional medicinal uses have been reported in 43 countries, highlighting the use in inflammatory, gastrointestinal and infectious processes, muscular pain, rheumatic, renal and hepatic affections. Among the 45 biological activities experimentally evaluated, antioxidant, antimicrobial, anti-inflammatory, hepatoprotective and antinociceptive were the most reported. The species with the highest number of studies were *D. gangeticum*, *D. adscendens* and *D. styracifolium*. In conclusion, several traditional medicinal uses have been experimentally supported, demonstrating the pharmacological potential of this genus.

Keywords: *Desmodium*; Traditional uses; Biological activity; Secondary metabolites; Medicinal plants.

Resumen: El género *Desmodium* incluye alrededor de 350 especies, distribuidas en regiones tropicales y subtropicales alrededor del mundo. El objetivo de esta revisión fue asociar los usos medicinales tradicionales del género *Desmodium* con sus actividades biológicas reportadas en la literatura científica. Los usos medicinales tradicionales y las actividades biológicas fueron descritos en 56 especies. Más de 100 usos medicinales tradicionales han sido reportados en 43 países, destacándose el uso en procesos inflamatorios, gastrointestinales e infecciosos, dolores musculares, reumáticos, afecciones renales y hepáticas. Dentro de las 45 actividades biológicas evaluadas experimentalmente, las más reportadas fueron la antioxidante, antimicrobiana, antiinflamatoria, hepatoprotectora y antinociceptiva. Las especies con mayor número de estudios fueron *D. gangeticum*, *D. adscendens* y *D. styracifolium*. En conclusión, varios usos medicinales tradicionales han sido experimentalmente respaldados, demostrando el potencial farmacológico de este género.

Palabras clave: *Desmodium*; Usos tradicionales; Actividad biológica; Metabolitos secundarios; Plantas medicinales.

INTRODUCTION

The genus *Desmodium* belongs to the Fabaceae family and contains about 350 species, most of them are herbs, shrubs or sub-shrubs but rarely trees. They can be perennials or annuals. The genus is native from tropical America and it is currently widely distributed in tropical and subtropical regions of the world, such as East Asia, Mexico and South America. In recent decades this genus has been recognized for its high therapeutic value, which comes from ancient times (Tang *et al.*, 1984; Vanni, 2001; Ma *et al.*, 2011b).

Populations around the world continue using medicinal plants to relieve their health needs despite scientific advances in the fields of medicine and pharmacology. The wide use of this type of therapies in developing countries is attributed to its easy access and low cost, especially for patients with scarce resources (Bonilla *et al.*, 2014). The World Health Organization has strongly promoted the use of medicinal plants as a health-enhancing tool, but at the same time it urges the establishment of scientific bases that prove the safety and efficacy of such use (WHO, 2013).

Until 2011, more than 200 secondary metabolites have been isolated from the genus *Desmodium*. Flavonoids, alkaloids, steroids, terpenoids, phenols, phenylpropanoids, glycosides and volatile oils have been identified, which are related to specific biological activities. Alkaloids and flavonoids are considered to be mainly responsible for most of the activities shown by plants of this genus. Despite all these findings, a low amount of secondary metabolites have been evaluated to determine their biological activity (Ma *et al.*, 2011b). The purpose of this review is to associate the traditional medicinal uses of the genus *Desmodium* with their biological activities reported by scientific literature.

MATERIAL AND METHODS

This review consisted of four stages: search, appraisal, analysis and synthesis.

1. Search: bibliographic documents were obtained from digital databases such as SciELO, ScienceDirect, EBSCOhost, SpringerLink, PubMed, and Google Scholar using the following keywords "*Desmodium*", "activity", "activities", "effects", "traditional", and its translations into Spanish; in addition, Boolean

operators such as AND/OR were used. The resulting search equation was: ("*Desmodium*") AND ("activity" OR "activities" OR "effects" OR "traditional" OR "actividad" OR "tradicional"). A total of 5240 publications were initially retrieved.

2. Appraisal: the publications obtained from the search stage were selected according to their usefulness and relevance based on inclusion and exclusion criteria, the result was 535 useful publications, which were reduced to 290 once the duplicates were deleted. Inclusion and exclusion criteria are shown below:
 - Inclusion criteria: were included original articles, review articles, book chapters, academic degree work, publications released between 2010 and august 2020, publications in English and Spanish only.
 - Exclusion criteria: excludes articles that do not allow access to the full text, duplicate publications, publications that do not allow the correlation of secondary metabolites, groups of compounds or extracts with their biological activity or traditional medicinal use.
3. Analysis: the resulting 290 publications were further examined and information was extracted to correlate the relevant findings.
4. Synthesis: the results obtained were presented in narrative form accompanied by tables.

RESULTS

A total of 5240 publications were identified in the search stage using keywords and Boolean operators combined in a search equation. After applying the inclusion and exclusion criteria, the number of publications selected for the development of the review was reduced to 290 (Figure No. 1).

Traditional medicinal uses and biological activities were reported and studied in 56 species of the genus *Desmodium*. More than 100 traditional medicinal uses of this genus have been reported from a total of 43 countries. The country with the highest number of publications reporting the traditional medicinal uses of this genus was India (70), followed by China (36), Peru (13), Brazil (10), and Pakistan (10). Complete information on the traditional medicinal uses reported in the genus *Desmodium* and its parts used is presented in Table No. 1.




Figure No. 1
Number of publications obtained during search and appraisal stages

Table No. 1
Traditional medicinal uses of the genus *Desmodium*

Species	Country or place where was reported	Part(s) used	Traditional medicinal uses	References
<i>Desmodium adscendens</i> (Sw.) DC.	Nigeria	-	Muscle cramps, tendon, spinal pain, bronchitis, epilepsy, central nervous system disorders, rheumatism, jaundice, hepatitis, hepatoprotective, asthma, eczema, allergic symptoms, antispasmodic, antihypertensive.	(Seriki, 2019)
	Republic of the Congo	Leaves	Fever, pain, epilepsy.	(Muanda <i>et al.</i> , 2011a)
	Ghana	Whole plant	Asthma and other diseases associated with smooth-muscle contraction.	(Rammal & Soulimani, 2011)
	Ivory Coast	Leaves	Asthma.	(Irié-N'guessan <i>et al.</i> , 2011)
	Brazil	Leaves	Leucorrhoea, body aches, pain, ovarian inflammations, excessive urination, gonorrhoea, diarrhoea.	(Charles <i>et al.</i> , 2016)
	Africa	Leaves	Diseases associated with smooth-muscles, asthma, fever, pain, epilepsy.	
	Africa and South America	Leaves and stems	Asthma, liver related diseases.	(Chuisseu <i>et al.</i> , 2020)
	-	-	Digestive system disorders or abdominal and back pain.	
	-	-	Spasm, rheumatism, jaundice, hepatitis, asthma.	(Adinoyi, 2020)

Species	Country or place where was reported	Part(s) used	Traditional medicinal uses	References	
<i>Desmodium adscendens</i> (Sw.) DC.	Benin	Stem	Diarrhoea, stomach aches, angina, dysentery, ulcer, gastritis, asthma, dysmenorrhoea, childbirth difficulty, early menopause, diabetes, hypertension, hepatitis, urinary infections, headache, tiredness and cancer.	(Toyigbénan <i>et al.</i> , 2018)	
	Africa	-	Asthma, to aid parturition, to treat dysmenorrhoea and to improve lactation, hepatoprotective, to manage fever, pain and epilepsy.	(Baiocchi <i>et al.</i> , 2013)	
	Africa Brazil	- Leaves	Asthma and diseases associated with smooth-muscles contraction.	(François <i>et al.</i> , 2015)	
	France	-	Gonorrhoea, diarrhoea, body aches, excessive urination and ovarian inflammations.		
	Africa and South America	Leaves and/or stems	Hepatoprotective supplement. Anti-inflammatory disorders, hepatitis and for the treatment of pain, fever, asthma, seizures, muscle spasms, snake bites.	(van Dooren <i>et al.</i> , 2018)	
	Ghana	-	Psychosis.	(Amoateng <i>et al.</i> , 2017)	
		Whole plant	Dysmenorrhoea, hemorrhoids,		
		Leafy stem	schizophrenia.		
		Leaves	Asthma and atopic asthma.		
			Infantile diarrhoea, galactagogue, dysentery.		
		Leaves	Pregnancy care, diarrhoea, wound.	(Malan <i>et al.</i> , 2015)	
		Cameroon	Young leaves	Antidote for snake venom.	(Zielińska-Pisklak <i>et al.</i> , 2015)
		Nicaragua	Young leaves	Antidote for snake venom.	
		Ghana	-	Excessive smooth muscle contraction, especially asthma.	
		Republic of the Congo	-	Analgesic, antipyretic, anticonvulsant.	
	-	-	Hepatoprotective, appetizer, cholagogue, vulnerary, digestive, depurative, antivomitive, choloretic, antiallergic, calming, fractures.	(Granda Calle, 2015)	
	-	Apical shoots			
	-	Branches			
	-	Young leaves	Dysentery.		
	-	Plant and	Threatened abortion.		
	-	root	Antivenom.		
	-	Roots	Antidote for stings even antiophidic.		
	-	Dry leaves	Colds.		
	-	-	Irritated skin.		
	-	-	Asthma, bronchitis, central nervous system disorders, vaginal infections, promote lactation in women, wounds and sores, malaria, diarrhoea, ovarian and uterine problems.	(Adeniyi <i>et al.</i> , 2013)	
	Brazil	Whole plant	Anti-inflammatory for the ovaries and/or uterus.	(Yazbek <i>et al.</i> , 2016)	
	Peru	Roots	Diarrhoea, vomiting, kidney pain,	(Valadeau <i>et al.</i> , 2010)	
		Leaves	ovarian inflammation, back pain. Liver pain, boils.		

Species	Country or place where was reported	Part(s) used	Traditional medicinal uses	References
<i>Desmodium adscendens</i> (Sw.) DC.	Peru	Aerial parts	Symptoms of hepatitis and liver injuries.	(Roumy <i>et al.</i> , 2020)
	Belize	-	Diabetes.	(Ferrier <i>et al.</i> , 2018)
	Nicaragua	Leaves, whole plant,	Skin conditions.	(Giovannini <i>et al.</i> , 2016)
	Central America	roots	Skin conditions, kidney diseases, urinary problems.	
	-	-		
	Brazil	Leaves	Treatment of wounds, stomach ailments, and other infections.	(Lakkakula <i>et al.</i> , 2017)
	-	-	Leucorrhoea, body aches, pains, ovarian inflammations, excessive urination, gonorrhoea, diarrhoea.	
	Republic of the Congo	-	Fever, pain, epilepsy.	
	Cameroon	-		
	Ghana	Leaves		
	-	-	Prevent respiratory infections.	
	-	-	Wounds, bronchial asthma, constipation, dysentery.	
	Ghana	Leaves and stems	Cancer of prostate, breast, throat, brain, liver.	(Agyare <i>et al.</i> , 2018)
	Ecuador	Leaves, stems, whole plant, fruit	Leishmaniasis.	(Gachet <i>et al.</i> , 2010)
Brazil	Whole plant	Kidney problems.	(Tribess <i>et al.</i> , 2015)	
Nicaragua	Leaves, whole plant, roots	Snake bite.	(Giovannini & Howes, 2017)	
-	-	Constipation and other gastrointestinal ailments, bronchial asthma, inflammations, coughs and colds.	(Quaye <i>et al.</i> , 2017)	
-	Leaves	Treatment of snake bites and wounds in general.		
-	Leaves, whole plant	Cough, asthma, bronchitis, tuberculosis, allergies, contraceptives, analgesic, wounds, venereal diseases, muscle pains, joint aches, kidney disorders, constipation, impotency, central nervous system disorders.	(Fomogne-Fodjo <i>et al.</i> , 2014)	
<i>Desmodium axillare</i> (Sw.) DC.	Panama	Stems	Facilitate childbirth, postpartum aid to expel the placenta.	(Locklear <i>et al.</i> , 2018)
	Peru	Leaves	Leishmaniasis.	(Odonne <i>et al.</i> , 2013)
	Belize	-	Diabetes.	(Ferrier <i>et al.</i> , 2018)
<i>Desmodium barbatum</i> (L.) Benth.	Tanzania	Leaves and stems	Abortion inducer.	(Nikolajsen <i>et al.</i> , 2011)
	Nicaragua	Leaves and roots	Skin conditions.	(Giovannini <i>et al.</i> , 2016)
<i>Desmodium canescens</i> (L.) DC.	Tanzania	-	Treatment of peptic ulcers.	(Macha <i>et al.</i> , 2018)
<i>Desmodium caudatum</i> (Thunb.) DC.	-	Roots	Rheumatic backache, diarrhoea, icterohepatitis, abscesses, anthelmintic.	(Li <i>et al.</i> , 2014a)
	Japan	Roots	Rheumatic backache, diarrhoea, icteric hepatitis, abscesses, anthelmintic.	(Sasaki <i>et al.</i> , 2014)

Species	Country or place where was reported	Part(s) used	Traditional medicinal uses	References
<i>Desmodium caudatum</i> (Thunb.) DC.	China	Whole plant	Febrile diseases, rheumatic arthritis, bacillary dysentery.	(Ma <i>et al.</i> , 2011a)
	China	Whole plant or root	Fever, gastroenteritis, dysentery, rheumatic arthritis.	(Li <i>et al.</i> , 2019)
	China	Whole plant or roots	Rheumatic backache, stomach pain, lymphadenitis, nephritis.	(Xu <i>et al.</i> , 2020)
	China	-	Fever, dysentery, gastroenteritis, rectal prolapse, snake bites, mastitis, boils carbuncle.	(Guo <i>et al.</i> , 2016)
<i>Desmodium confertum</i> DC.	Nepal	Leaves	Eye problems.	(Rokaya <i>et al.</i> , 2010)
<i>Desmodium delotum</i> J.F. Macbr.	Ethiopia	Leaf apex	Eye illness.	(Tolossa <i>et al.</i> , 2013)
<i>Desmodium elegans</i> DC.	India	-	Epilepsy, carminative.	(Paniagua-Zambrana <i>et al.</i> , 2020)
<i>Desmodium gangeticum</i> (L.) DC.	China	Leaves	Antidotes, hemorrhoids.	(Zhi <i>et al.</i> , 2014)
	Pakistan	Roots	Carminative, tonic, diuretic, chronic fever, cough, vomiting, asthma, snake bite.	(Haq <i>et al.</i> , 2011)
	Himalayan region	Whole plant	Bronchitis.	(Amber <i>et al.</i> , 2017)
	India	Roots	Epilepsy, carminative.	(Bhat <i>et al.</i> , 2013)
	Pakistan	Roots and leaves	Earache, stomach pain, joint pain.	(Aziz <i>et al.</i> , 2017)
	India	Roots	Epilepsy.	(Sharma <i>et al.</i> , 2013)
	Pakistan	Roots	Scorpion sting and snake bite.	(Butt <i>et al.</i> , 2015)
	India	Leaves	Cuts, teeth cleaning, wounds.	(Gairola <i>et al.</i> , 2014)
	Pakistan	Roots and leaves	Cough, asthma.	(Kayani <i>et al.</i> , 2014)
	Pakistan	Leaves	Anticancer.	(Hussain <i>et al.</i> , 2019)
	Pakistan	-	Rheumatism.	(Alamgeer <i>et al.</i> , 2018)
	India	-	Asthma.	(Bhanisana Devi <i>et al.</i> , 2015)
	<i>Desmodium gangeticum</i> (L.) DC.	Indonesia	Leaves	Rheumatism.
India		-	Snake bites, asthma, bronchitis, cough, dysentery, eye infection, fever, vomiting.	(Paniagua-Zambrana <i>et al.</i> , 2020)
India		-	Scorpion sting, snake bites, diabetes mellitus, ulcer.	(Al-Asmari <i>et al.</i> , 2020)
India		Root	Typhoid fever, urinary discharges, piles, inflammations, treatment of ischemic heart disease and other heart diseases.	(Das <i>et al.</i> , 2014)
India		-	Typhoid, piles, asthma, bronchitis, bitter tonic, febrifuge, digestive, anticatarrhal, antiemetic, in inflammatory conditions of chest and in other inflammatory conditions. Digestive disorders, edema, diarrhoea, intermittent fever, malaria, urinary tract infections.	(Lagudu & Owk, 2016)
India		Whole plant	Bronchitis, asthma, inflammations, dysentery.	(Basheer & Satish, 2018)

Species	Country or place where was reported	Part(s) used	Traditional medicinal uses	References
	India	Whole plant	Thermogenic, nerve tonic, aphrodisiac, demulcent, anthelmintic, cardiac tonic, febrifuge, anti-inflammatory, diuretic, hemostatic, rejuvenating and useful in neuromuscular and ophthalmic disorders, loss of appetite, flatulence, diarrhoea, dysentery, nausea, piles, angina pain, cardiac disorders, tuberculosis, cough, seminal weakness, urinary disorders, fever, debility and gout. Treatment of heart diseases, especially in angina pectoris and myocardial infarction. Strengthens heart muscles and reduces cholesterol. Typhoid, pneumonia.	(Priyadharshini, 2016)
		Root		
	India	Root, bark and leaves	Fever, kidney disorders.	(Gurrapu & Mamidala, 2017)
	India	-	Typhoid, piles, inflammation, asthma, bronchitis, dysentery.	(Srivats <i>et al.</i> , 2012)
	India	-	Snake bite, ulcer, diabetes mellitus.	(Kurian <i>et al.</i> , 2010b)
	India	-	Anthelmintic, antidiarrhal, diuretic, expectorant, astringent, febrifuge, nerve tonic, antidiarrhoeal, bronchodilator, vasopressor, analgesic, antipyretic, cardiogenic, stimulant, antioxidant, anti-inflammatory.	(Meena <i>et al.</i> , 2010)
	India	-	Fever, cataract, typhoid, piles, bronchitis, dysentery, asthma.	(Ragavan, 2017)
	-	-	Bitter tonic, febrifuge, digestive, antidiarrhal, antiemetic.	(Suriyavathana <i>et al.</i> , 2010)
	-	Roots	Antiulcer.	(Singh <i>et al.</i> , 2018)
	-	-	Obesity.	(Sharma & Chandola, 2013)
	India	Leaves	Tonic to increase immunity, fever.	(Bhuyan & Rajak, 2019)
	Benin	Root and stem	Diarrhoea, stomach aches, angina, dysentery, ulcer, gastritis, asthma, dysmenorrhoea, childbirth difficulty, early menopause, diabetes, hypertension, hepatitis, headache, tiredness and cancer.	(Toyigbénan <i>et al.</i> , 2018)
	Vietnam	-	Wound ulcers, snake bites, diuretic, edema, asthma, stomatitis, arthritis, eczema, hair loss, neurological disorders, premature ejaculation, tonic.	(Ha <i>et al.</i> , 2018b)
<i>Desmodium gangeticum</i> (L.) DC.	-	-	Typhoid fever, urinary discharges, piles, inflammation, asthma, bronchitis, vomiting, dysentery, hemicrania.	(Venkatachalam & Muthukrishnan, 2012)
	-	-	Diabetes.	(Giovannini <i>et al.</i> , 2016)
	Pakistan	Whole plant, roots	Scorpion sting and snake bite.	(Butt <i>et al.</i> , 2015)

Species	Country or place where was reported	Part(s) used	Traditional medicinal uses	References
<i>Desmodium gangeticum</i> (L.) DC.	India	Whole plant	Bitter tonic, febrifuge, digestive, anticephalalgic, antiemetic, in inflammatory conditions of chest and other inflammatory conditions.	(Thirunavoukkarasu <i>et al.</i> , 2013)
	India	-	Bitter tonic, febrifuge, digestive, anticephalalgic, antiemetic, in inflammation of chest.	(Mahesh <i>et al.</i> , 2012)
	-	Root	Gastric ulcer, mouth ulcer, snake bite, scorpion sting.	
	Bangladesh	Leaves	Toothache, chest pains, fungal infections.	(Jahan <i>et al.</i> , 2010)
	-	-	Antidote in snake bite, asthma, bronchitis, cough, diarrhoea, dysentery, fever, mouth ulcer, rheumatism, sedative, abortion, to cure premature ejaculation, toothache, typhoid, vomiting.	(Nagarkar <i>et al.</i> , 2013)
	India	-	Bitter tonic, febrifuge, digestive, anticephalalgic, antiemetic, in inflammatory conditions of chest.	(Bisht <i>et al.</i> , 2014)
	-	-	Digestive, inflammatory, and cardiovascular disorders.	(Hitler <i>et al.</i> , 2014)
	-	-	Bitter tonic, febrifuge, digestive, anticephalalgic, antiemetic, in inflammatory conditions of chest.	(Yasmeen & Sujatha, 2013)
	Vietnam	-	Hemostatic, antiseptic, urinary discharges, detoxification, antiophidic, antiedema.	(Dat <i>et al.</i> , 2015)
	India	-	Bitter tonic, febrifuge, digestive, antiemetic, antipyretic and anticephalalgic, in inflammatory conditions of chest and other inflammatory conditions.	
	-	-	Abscesses, acne, cataract, dysentery, eye diseases, infections and liver diseases.	(Srivastava <i>et al.</i> , 2013)
	India	Leaves	Scabies, ringworm.	(Wagh & Jain, 2010)
	India	Roots	Antipyretic, diuretic, astringent, aphrodisiac, expectorant, debility.	(Sivasankari <i>et al.</i> , 2014)
	India	Leaves	Boils.	(Sharma <i>et al.</i> , 2014)
	Papua New Guinea	Leaves	Diarrhoea.	(Prescott <i>et al.</i> , 2015)
	Zambia	Roots	Febrifuge.	(Chinsebu, 2015)
	Saudi Arabia	Roots	Scorpion sting.	(Al-Asmari <i>et al.</i> , 2017)
	Benin	Leaves and whole plant	Strengthening.	(Towns & van Andel, 2016)
	India	Stems and roots	Fever, headache.	(Venkatachalapathi <i>et al.</i> , 2018)
	Bangladesh	Whole plant	Wound, edema.	(Fahim Kadir <i>et al.</i> , 2014)
India	Leaves	Diarrhoea, dysentery, piles.	(Shanmugam <i>et al.</i> , 2012)	
Himalayan region	Root	Bronchitis.	(Amber <i>et al.</i> , 2017)	
India	Root	Dysentery.	(Panda, 2014)	
India	-	Febrifuge, digestive, anticephalalgic, antiemetic, anti-inflammatory.	(Jamuna <i>et al.</i> , 2014)	

Species	Country or place where was reported	Part(s) used	Traditional medicinal uses	References
	India	Roots	Snake bite.	(Upasani et al., 2018)
	-	-	Tonic, febrifuge, digestive, antidiarrheal, antiemetic, in inflammatory conditions of chest.	(Sankar et al., 2013)
	Pakistan	Roots	Diarrhoea, chronic fever, cough, vomiting, asthma, snake bite, scorpion stings.	(Awan et al., 2011)
	India	Roots	Treatment of snake bite.	(Upasani et al., 2017)
	India	Root	Rheumatism.	(Padal et al., 2013)
	India	-	Antipyretic, diuretic, astringent, anthelmintic, laxative, and in the treatment of mental disorders.	(Mahajan et al., 2017)
	India	Root	Mouth ulcer, dysentery.	(Vedpal et al., 2016)
		Leaves	Prevent hair fall, in infections and cure eczema.	
	China	Root		
		Leaves	Diarrhoea, toothache.	
	Uganda	Root	Headache.	
			Premature ejaculation.	
	India	-	Jaundice, rheumatism, fever, paralysis, filariasis, inflammations.	(Yadav et al., 2013)
	-	-	Antipyretic, diuretic, astringent, anthelmintic, laxative, treatment of dementia.	(Mahajan et al., 2015)
	-	-	Asthma, bronchitis, piles, diuretic, bitter tonic, febrifuge, digestive, antidiarrheal, antiemetic.	(Antony et al., 2010)
	Pakistan	Root	Cough, cold, asthma.	(Abbas et al., 2017)
	India	Root	Asthma.	(Jeyaprakash et al., 2011)
	India	Leaves	Burns.	(Wagh & Jain, 2020)
	-	Root	Aphrodisiac.	(Singh et al., 2012)
	-	-	Bitter tonic, febrifuge, digestive, antidiarrheal, antiemetic, in inflammatory conditions of chest, ischemic heart disease, antiulcer.	(Venkatachalam & Muthukrishnan, 2013)
	India	Root	Scorpion sting.	(Suthari et al., 2018)
<i>Desmodium gangeticum</i> (L.) DC.	China	Whole plant	Diuresis.	(Hu et al., 2020)
<i>Desmodium griffithianum</i> Benth.	China	Whole plant	Against snake venom.	(Gao et al., 2019)
<i>Desmodium gyrans</i> (L. f.) DC.	India	Leaves	Antiseptic to cuts and wounds.	(Gogoi & Zaman, 2013)
	-	Leaves	Diuretic, febrifuge, tonic.	(Vipin et al., 2015)
	India	Roots	Asthma, cough, antidysenteric, emollient.	
	-	-	Wound healing, cardioprotective.	
<i>Desmodium heterocarpon</i> (L.) DC.	India	Whole plant	Cough, fainting, seizures.	(Joshi & Tyagi, 2011)
	India	Whole plant	Cough.	(Suthari et al., 2018)
	China	Whole plant	Mumps, epidemic encephalitis B, kidney and vesical stone.	(Hong et al., 2015)
	India	Leaves	Urinary diseases.	(Singh et al., 2014)
	-	-	Tonic, blood purification, ulcer, scurvy, energetic, kidney stone, diuretic.	

Species	Country or place where was reported	Part(s) used	Traditional medicinal uses	References
<i>Desmodium heterophyllum</i> (Willd.) DC.	Nepal	Leaves Roots	Tonic, cough. Diarrhoea, skin diseases.	(Mall et al., 2015)
	Thailand	Whole plant	Edema.	(Khuankaew et al., 2014)
	Indonesia	Leaves Whole plant	Postpartum symptoms and lack of appetite. Scabies, itching.	(Bahtiar et al., 2017)
	-	Leaves and roots	Diarrhoea, dysentery, seizures, antispasmodic, sympathomimetic, cough, asthma, wounds.	(Ha et al., 2018a)
<i>Desmodium incanum</i> (Sw.) DC.	Sri Lanka	-	Stomach aches, sores.	(Mohotti et al., 2020)
	-	-	Ringworm, infections, healing of wounds and pains, colds, kidney troubles.	(Pitkin et al., 2019)
	Brazil	Whole plant	Kidney problems.	(Tribess et al., 2015)
	Brazil	Roots	Fever, expectorant, depurative.	(Magalhães et al., 2019)
<i>Desmodium intortum</i> (Mill.) Urb.	Brazil	Aerial parts	Endocrine, nutritional, and metabolic diseases, mental and behavioral disorders, diseases of the digestive system.	(Rossi-Santos et al., 2018)
	Belize	Leaves	Snake bite.	(Giovannini & Howes, 2017)
	Brazil	-	Dysentery.	(Bieski et al., 2015)
	Brazil	Whole plant	Infectious diseases.	(Bolson et al., 2015)
	South Africa	-	Septic wounds, sores, heartburn, stomach problems, prevent miscarriage, impotence.	(Mhlongo & Van Wyk, 2019)
	Ecuador	Leaves and roots	Reduce bleeding after delivery.	(Torri, 2013)
<i>Desmodium laburnifolium</i> (Poir.) DC.	India	Roots	Dermatological and digestive disorders.	(Negi et al., 2018)
<i>Desmodium laxiflorum</i> DC.	Guinea	Leaves	Diabetes.	(Diallo et al., 2012)
	India	Leaves and stems	Menstrual cycle irregularity, uterus infection.	(Taid et al., 2014)
<i>Desmodium microphyllum</i> (Thunb.) DC.	India	-	Eye problems, fever, cough, headache, boils, blisters, wounds.	(Thakur et al., 2016)
<i>Desmodium molliculum</i> (Kunth) DC.	India	Roots	Female reproductive problems.	(Gairola et al., 2014)
	Ecuador	-	Diuretic, anti-inflammatory, emmenagogue, blood purifier, wounds treatment.	(Salazar Toaquiza, 2015)
	Peru	-	Anti-inflammatory, antiseptic and wound healer.	(Acero-Carrión et al., 2012)
	-	-	Blood purifier, diuretic, detoxification, gastritis, reduces inflammation of the urinary tract, detoxifies the liver, antiallergic, antispasmodic, antiviral.	(Saucedo Estela & Tocto Céspedes, 2018)
	-	-	Antirheumatic, anti-inflammatory, antiasthmatic, antipyretic, calming, sudorific.	(Gordillo et al., 2019)
	-	Leaves and stems	Treatment of the symptoms of respiratory diseases, anti-inflammatory, asthma, liver disorders.	
	Peru	Whole plant	Inflammation of the ovaries, inflammation of the uterus.	(Bussmann & Glenn, 2010)

Species	Country or place where was reported	Part(s) used	Traditional medicinal uses	References
<i>Desmodium molliculum</i> (Kunth) DC.	Peru	Whole plant, except the root	Diuretic, anti-inflammatory, emmenagogue, blood purifier, asthma, wounds treatment.	(Barreto Yaya, 2018)
	Peru	-	Diuretic, blood purifier, antihemorrhagic, antidysenteric, anti-inflammatory of the urinary tract, liver and kidneys.	(Cancho Arias, 2018)
	Peru	Whole plant	Inflammation of the kidneys, ovaries and uterus, diarrhoea, stomach ache, gastritis, wounds cleansing, scars.	(Bussmann <i>et al.</i> , 2010)
	-	-	Contraceptive, diuretic, antihemorrhagic, blood purifier, anti-inflammatory of the urinary tract, liver and kidneys.	(Acaro Chuquicaña, 2013)
	Peru	Branches	Salpingitis, liver conditions, washing wounds, anti-inflammatory, renal problems.	(Castañeda <i>et al.</i> , 2017)
	Ecuador	Plant without root	Vaginal disorders, abdominal pain, menstrual cramps and related disorders, ovary inflammation, promoting labor and childbirth recovery.	(Tinitana <i>et al.</i> , 2016)
	Peru	Aerial part	Liver problems and pain, stomach ache, gastritis, general digestive problems, inflammation, blood depurative.	(Carraz <i>et al.</i> , 2015)
	Peru	-	Kidney problems.	
	Peru	Whole plant	Liver problem and pain, hepatitis, kidney problems, stomach ache, general digestive problems, intestinal spasms with diarrhoea.	(Gonzales de la Cruz <i>et al.</i> , 2014)
	Colombia	Branches	Inflammations of the ovaries, liver diseases, agent to fight infections in wounds, reduce blows, relieve the pains associated with kidney problems.	(Paniagua-Zambrana <i>et al.</i> , 2020)
	Ecuador	Whole plant Leaves	Intestinal pain, white and yellow vaginal discharge.	
	Peru	Whole plant	Clean and disinfect wounds, regulate blood and to treat pimples, inflammations, bellyache. Inflammation, diarrhoea, stomach ache, gastritis, washing wounds.	
	Peru	Whole plant	Kidney and urinary tract inflammation, infection, stomach inflammation, ovary and vaginal inflammation, wounds, liver problems.	(Monigatti <i>et al.</i> , 2013)
	Ecuador	-	Skin infections (scabies).	(Landeta, 2015)
	-	-	Nervousness.	(Olivera & Principe, 2018)
-	-	Promote lactation, arthritis.		
Africa	-	Detoxify the body.		
-	Leaves	Seizures, venereal ulcers, vaginal infections.		

Species	Country or place where was reported	Part(s) used	Traditional medicinal uses	References
<i>Desmodium motorium</i> (Houtt.) Merr.	India	Roots Leaves Leaves and fruits Whole plant Flower	Emollient, laxative, antidiarrheal, antirheumatic, to treat cough, asthma, fever. Tonic, febrifuge, diuretic, aphrodisiac. Wounds. Diabetes mellitus.	(Chitra Devi & Narmathabai, 2011)
	Thailand	Whole plant	Menstrual disorders, tuberculosis, sexual impotence, headache and boils. Prevent cancer of the stomach and intestines, treat nerve damage and strengthening the immune system.	
<i>Desmodium multiflorum</i> DC.	Nepal	Roots	Peptic ulcer, indigestion.	(Mall et al., 2015)
	China	Root	Eliminate excessive body heat and detoxify the body, anti-itch, infantile malnutrition.	(Hu et al., 2020)
<i>Desmodium oblongum</i> Wall. ex Benth.	China	-	Cough, cold, headache, impotence.	(Li et al., 2017b)
	Thailand	Roots	Tonic, lumbago.	(Khuankaew et al., 2014)
<i>Desmodium oojeinense</i> (Roxb.) H. Ohashi	India	Bark	Low blood pressure.	(Joshi & Tyagi, 2011)
	India	Bark	Anthelmintic, astringent to the bowels, dysentery, leucoderma, ulcers, blood diseases, skin diseases, burning sensations, anemia.	(Jayadevaiah et al., 2012)
	-	-	Diarrhoea, dysentery, febrifuge, diabetes, anemia, leucoderma, ulcers.	(Nirawane et al., 2017)
<i>Desmodium oxyphyllum</i> DC.	-	-	Febrile diseases, cough, asthma, hepatitis, bleeding wounds.	(Wang et al., 2015)
<i>Desmodium podocarpum</i> DC.	China	Whole plant	Febrile diseases, cough, bleeding wounds.	(Zhu et al., 2011)
	India	Whole plant	Cough.	(Dutt et al., 2015)
	-	-	Febrile diseases, cough, asthma, hepatitis, bleeding wounds.	(Qin et al., 2015)
<i>Desmodium polycarpon</i> (Poir.) DC.	India	Leaves	Stomach ache.	(Dutt et al., 2015)
<i>Desmodium polycarpum</i> (Poir.) DC.	Pakistan	Roots	Fever, cardiac tonic, diuretic, loss of appetite, flatulence, diarrhoea, dysentery, nausea, piles, helminthiasis, cough.	(Amjad et al., 2017)
<i>Desmodium pulchellum</i> (L.) Benth. in Miq.	-	Leaves	Cold, fever, malaria, enlargement of liver and spleen, rheumatism, bone pains, swelling due to contusion or sprain, ulcers and skin sores in hemorrhages.	(Rahman et al., 2013)
	-	Roots	Reduce excessive menstrual flow.	
	-	Bark	Diarrhoea, poisoning, eye diseases.	
	China	Whole plant	Rheumatic fever, infant seizures, toothache, to dissolve internal blood clots, to aid digestion.	

Species	Country or place where was reported	Part(s) used	Traditional medicinal uses	References
<i>Desmodium pulchellum</i> (L.) Benth. in Miq.	-	Bark	Diarrhoea, hemorrhages, eye diseases.	(Reyad-ul-ferdous <i>et al.</i> , 2015)
	-	Roots	Burning sensations in the abdomen.	
	-	Flowers	Dental cavities.	
	-	Stem bark	Headache, hypotensive.	
	China	-	Seizures (in children), rheumatic fever, to dissolve internal blood clots and generate new red blood cells, rheumatism, toothache.	
	Philippines	Leaves	Pocks, ulcers.	
	Malaysia	Roots	Puerperium.	
	India	Leaves	Malaria, enlargement of liver and spleen, rheumatism, bone pains, swelling.	(Bhuyan & Rajak, 2019)
	India	Whole plant	Stomach pain, amebic dysentery.	(Dey & De, 2012)
	Bangladesh	Leaves and branches	Edema.	(Fahim Kadir <i>et al.</i> , 2014)
	India	Leaves	Wounds.	(Padal <i>et al.</i> , 2013)
	-	-	Cold, fever, malaria.	(Noor <i>et al.</i> , 2013)
	-	Leaves	Ulcers.	
	-	Bark	Diarrhoea, eye afflictions, malaria, swelling, rheumatism.	
	China	-	Schistosomiasis.	
-	-	Cold, fever, malaria.	(Ahmed <i>et al.</i> , 2013)	
-	Leaves	Ulcers.		
-	Bark	Diarrhoea, eye afflictions, malaria, swelling, rheumatism.		
China	-	Schistosomiasis.		
<i>Desmodium racemosum</i> DC. <i>Desmodium ramosissimum</i> G. Don	India	Leaves	Menorrhagia.	(Lingaraju <i>et al.</i> , 2013)
	China	Whole plant	Stomach ache, infantile malnutrition.	(Hu <i>et al.</i> , 2020)
	Nigeria	Leaves	Diarrhoea, dysentery, fever, pulmonary troubles, cough, venereal diseases, jaundice.	(Alli <i>et al.</i> , 2011)
	Benin	Stem	Diarrhoea, stomach aches, angina, dysentery, ulcer, gastritis, asthma, dysmenorrhoea, childbirth difficulty, early menopause, diabetes, hypertension, hepatitis, urinary infections, headache, tiredness and cancer.	(Toyigbénan <i>et al.</i> , 2018)
	Madagascar	-	Dental cavities, diarrhoea, abdominal pain, cough.	(Paniagua-Zambrana <i>et al.</i> , 2020)
	Madagascar	Leaves	Diarrhoea.	(Rakotoarivelo <i>et al.</i> , 2015)
	Nigeria	Leaves	Analgesic, dysentery, diarrhoea, fever, pulmonary, eye, and ear problems, cough, venereal diseases, jaundice.	(Ezealigo, 2016)
	Benin	Leaves	Malaria.	(Yetein <i>et al.</i> , 2013)
	China	-	Diuretic, anti-inflammatory, detoxifying.	(Li <i>et al.</i> , 2014c)
	<i>Desmodium renifolium</i> (L.) Schindl. <i>Desmodium repandum</i> (Vahl) Poir. in F. Cuvier	Rwanda	Leaves	Liver diseases.
Uganda		Leaves	Tuberculosis.	(Tabuti <i>et al.</i> , 2010)
Uganda		Leaves	Diarrhoea.	(Namukobe <i>et al.</i> , 2011)

Species	Country or place where was reported	Part(s) used	Traditional medicinal uses	References
	Uganda	Leaves	Treatment of symptoms of tuberculosis.	(Obakiro <i>et al.</i> , 2020)
<i>Desmodium retroflexum</i> DC.	India	Roots	Emmenagogue.	(Kumar <i>et al.</i> , 2012)
<i>Desmodium salicifolium</i> (Poir.) DC.	Uganda	Leaves	Tuberculosis.	(Bunalema <i>et al.</i> , 2014)
<i>Desmodium salicifolium</i> (Poir.) DC.	-	Leaves, whole plant	Respiratory problems, malaria, yellow fever.	(Fomogne-Fodjo <i>et al.</i> , 2014)
	Uganda	Leaves	Treatment of symptoms of tuberculosis.	(Obakiro <i>et al.</i> , 2020)
<i>Desmodium sequax</i> Wall.	Philippines	Leaves	Wounds.	(Galvez, 2015)
<i>Desmodium setigerum</i> (E. Mey.) Benth. ex Harv.	Angola	Whole plant	Hemorrhoids.	(Lautenschläger <i>et al.</i> , 2018)
	South Africa	-	Lice, septic wounds, sores, stomach problems.	(Mhlongo & Van Wyk, 2019)
<i>Desmodium strangulatum</i> Wight & Arn.	Indonesia	Leaves	Bone fractures.	(Silalahi <i>et al.</i> , 2015)
<i>Desmodium styracifolium</i> (Osbeck) Merr.	China	Aerial parts	Heat clearing, urinary diseases (red urine, heat strangury, stone strangury, slow and painful urination, edema and small quantify of urination, bladder and kidney stones). Rheumatism, pyrexia, dysentery, wounds, cough, malaria, hepatitis, cholelithiasis, jaundice, hemoptysis, stomatitis, laryngitis, urticaria.	(Wagner <i>et al.</i> , 2015)
	Vietnam	Whole plant	Urolithiasis, kidney problems, urethral infection, edematous nephritis, hepatitis.	(Giang Phan <i>et al.</i> , 2010)
	China	Aerial parts	Treatment of renal stones due to its heat clearing and diuretic properties.	(Xiang <i>et al.</i> , 2015)
	China	-	Treatment of urolithiasis.	(Mi <i>et al.</i> , 2012)
	China	Aerial parts	Pyretic strangury, urolithiasis, painful urination, oliguria.	(Cheng <i>et al.</i> , 2018)
	China	-	Diuretic, treatment of urinary stones.	(Xie <i>et al.</i> , 2018)
	China	-	Renal diseases (kidney stone or kidney damage).	(Xie <i>et al.</i> , 2019)
	-	Rhizome	Emmenagogue, stomachic.	(Alok <i>et al.</i> , 2013)
	China	-	Urination disorders, urolithiasis, edema, jaundice.	(Chen <i>et al.</i> , 2020)
	China	-	Diuretic, heat clearing, treatment of renal stones, hepatitis, cardio/cerebrovascular diseases.	(Zhou <i>et al.</i> , 2012)
	Vietnam	Aerial parts	To treat liver, kidney, urethra, bladder stones, painful urination, frequent urination, difficult urination due to urinary tract infection, edema, jaundice, carbuncles, itching.	(Woerdenbag <i>et al.</i> , 2012)
	-	Aerial parts	Jaundice, reddish urine, strangury, difficult and painful urination, edema with scanty urine.	(Xi & Gong, 2017)
	China	Aerial parts	Inflammation, pyrexia, kidney stone.	(Liu <i>et al.</i> , 2020c)

Species	Country or place where was reported	Part(s) used	Traditional medicinal uses	References
<i>Desmodium styracifolium</i> (Osbeck) Merr.	China	-	Treatment of kidney stone due to its heat clearing and diuretic properties, treatment of urolithiasis, cardio/cerebrovascular diseases, hepatitis.	(Zhou <i>et al.</i> , 2018)
	China	Whole plant	Treatment and management of urinary stones.	(Kasote <i>et al.</i> , 2017)
	China	Whole plant	Hepatitis, cholecystolithiasis.	(Li & Xing, 2016)
	China	Whole plant	Headache, cough.	(Li <i>et al.</i> , 2017a)
<i>Desmodium tiliaefolium</i> D.	-	Aerial parts	Jaundice, hepatitis, liver cirrhosis, cholelithiasis.	(Liu <i>et al.</i> , 2020b)
	China	Aerial parts	Cholelithiasis, urolithiasis.	(Liu <i>et al.</i> , 2017)
	India	Whole plant	Stomach ache, emmenagogue, stomachic, purgative.	(Dutt <i>et al.</i> , 2015)
<i>Desmodium tortuosum</i> (Sw.) DC.	Angola	Leaves	Prevents abortion.	(Lautenschläger <i>et al.</i> , 2018)
<i>Desmodium triflorum</i> (L.) DC.	Indonesia	Leaves	Wounds, diarrhoea.	(Bahtiar <i>et al.</i> , 2017)
	-	Leaves	Central nervous system stimulation, seizures, diuretic, high fever, bone fractures, diarrhoea.	(Revanasiddappa <i>et al.</i> , 2019)
	Taiwan	-	Dysmenorrhea, muscle spasm, cough, pain, poisoning.	(Chien <i>et al.</i> , 2020)
	Bangladesh	-	Eye diseases, stomach troubles.	(Apu <i>et al.</i> , 2012)
	India	Whole plant	Pruritus, skin eruption, wounds and cuts.	(Sundarrajan & Arumugam, 2017)
	-	Leaves	Diarrhoea, seizures, galactagogue, wounds and abscesses difficult to heal.	(Gavalapu <i>et al.</i> , 2013)
	-	-	Sores, itch, dysentery, laxative.	
	India	Leaves	Dysentery.	(Shanmugam <i>et al.</i> , 2012)
	India	Leaves	Boils, eye ailments, spleen disorders, wounds.	(Gairola <i>et al.</i> , 2014)
	India	Whole plant	Stomach pain, piles.	(Dey & De, 2012)
	China	Whole plant	Stomach ache, cold.	(Li <i>et al.</i> , 2017a)
	India	Leaves	Wounds.	(Kumar <i>et al.</i> , 2013)
	-	Leaves	Diarrhoea, seizures, antispasmodic, sympathomimetic, central nervous system stimulation, curare-mimetic activity, diuretic, galactagogue, wounds and abscesses difficult to heal.	(Bhosle, 2013)
-	-	Sores, itch, cough, asthma, dysentery, laxative, high fever, bone fractures.		
India	Leaves	Wounds, dysentery, abscesses.	(Sambandan & Dhatchanamoorthy, 2012)	
	Roots	Diuretic, cough, asthma.		
Thailand	Whole plant	Abscesses, psoriasis.	(Neamsuvan & Bunmee, 2016)	
Thailand	Whole plant	Aphthous ulcer, diarrhoea.	(Neamsuvan & Ruangrit, 2017)	

Species	Country or place where was reported	Part(s) used	Traditional medicinal uses	References	
<i>Desmodium triflorum</i> (L.) DC.	India	Leaves -	Swelling. Diarrhoea, wounds, abscesses, inflammation, cough, bronchitis, fever, stomach ache, piles, dysentery.	(Sureshkumar <i>et al.</i> , 2017)	
	India	Leaves	Body ache, body swelling.	(Chander <i>et al.</i> , 2014)	
	Mauritius	Whole plant	Diarrhoea, urinary tract infection.	(Samoisy & Mahomoodally, 2016)	
	Sri Lanka	-	Snake bites.	(Dharmadasa <i>et al.</i> , 2016)	
	Colombia	Whole plant Leaves and flowers	Pulmonary affections, depurative of blood, laxative, against herpes. To strengthen the uterus.	(Paniagua-Zambrana <i>et al.</i> , 2020)	
	India	-	Abscesses, eruptions, body ache, breast pain, colic, diarrhoea, dysentery, menorrhoea, sores, spleen complaints, nail disorders, toothache.		
	Mauritius	-	Pulmonary infections.	(Suroowan <i>et al.</i> , 2019)	
	-	Leaves	Treatment of seizures, diarrhoea, galactagogue, antispasmodic, sympathomimetic, central nervous system stimulation, curare-mimetic activity, diuretic, wounds and abscesses difficult to heal, sores, itch, to reduce high fever.	(Bhosle, 2011)	
	-	Whole plant			
	-	Roots			
	-	-			
	-	-		It is given to children to treat asthma and coughs, bone fractures. Promoting labor, in the treatment of vertigo, carminative, tonic, diuretic. Dysentery, laxative.	
	-	-		Cooling, expectorant, galactagogue, cough, bronchitis, wounds, abscesses, sores, pruritus, dysentery, flatulence and burning sensation, in stomach ache, dermatosis, diarrhoea, ophthalmia, rheumatism, tonic, diuretic, tumor.	(Singh <i>et al.</i> , 2016)
China	Whole plant	Haemostasis.	(Gao <i>et al.</i> , 2019)		
India	Leaves and roots	Wounds, abscesses, dysentery, diuretic.	(Sharma & Kumar, 2021)		
<i>Desmodium triquetrum</i> (L.) DC.	China	-	Antispasmodic in infants, to expel helminths and to treat indigestion, splenic abscesses, chronic cough, tuberculosis, diuretic, hepatitis, chronic metabolic diseases.	(Vedpal <i>et al.</i> , 2019)	
	Laos	Whole plant	Combat liver parasites.		
	-	Leaves	Piles.	(Joshi <i>et al.</i> , 2018)	
	-	Leaves	Diabetes, obesity, flu, fever, sore throat, nephritis, cholestatic hepatitis, enteritis, bacillary dysentery, pregnant vomiting, prostatic hyperplasia.	(Wu <i>et al.</i> , 2014)	

Species	Country or place where was reported	Part(s) used	Traditional medicinal uses	References
<i>Desmodium triquetrum</i> (L.) DC.	-	-	Prevents fainting from the heat (heat stroke), fever, colds, cough, tonsillitis, parotitis, acute nephritis, edema, enteritis, dysentery, hookworm infection, tapeworm infection in the liver, trichomonal vaginitis, vomiting in pregnancy, galactagogue, malnutrition in children, jaundice, hepatitis, tuberculosis, scleroderma, hemorrhoids, rheumatism. Wounds and abscesses that do not heal well. Dysentery, laxative.	(Thandar & Tun, 2015)
	- Sri Lanka	Leaves		
	Bangladesh	Leaves and stems	Boils, toothache, body pain, tuberculosis, gingivitis.	(Fahim Kadir et al., 2014)
	Myanmar	Roots, barks, leaves and fruits	Lung diseases, urinary diseases, gynecological diseases, analgesic.	(Aung et al., 2016)
<i>Desmodium umbellatum</i> (L.) DC.	India	-	Fever.	(Arora, 2018)
<i>Desmodium uncinatum</i> (Jacq.) DC.	Uganda	Leaves and flowers	Against helminths, yellow fever, diarrhoea, toothache.	(Namukobe et al., 2011)
<i>Desmodium velutinum</i> (Willd.) DC.	India	Root	Scorpion sting.	(Suthari et al., 2018)
	Nigeria	-	Fever.	(Fred et al., 2012)
	-	-	Headache.	
	-	Leaves	Diarrhoea, aphrodisiac.	
	-	-	Aches, pains, diarrhoea, haematuria, diuretic, laxative, cough, fever.	(Ebana et al., 2016)
	-	-	Diarrhoea, fever, anti-inflammatory, antinephrolithic, antibacterial, antitumor, antiulcer, antilipidaemic, analgesic, antimalarial, aphrodisiac.	(Eze-Steven & Ude, 2019)
	Nigeria	Leaves with flower	Infertility, irregular menstruation, general body vitality.	(Atawodi et al., 2014)
	Angola	Leaves	Infertility women.	(Lautenschläger et al., 2018)
	Guinea-Bissau	Leaves and root	Cholera.	(Frazão-Moreira, 2016)
	India	Leaves	Body pain.	(Sukumaran et al., 2020)
Guinea-Bissau	Leaves and roots	Intestinal problems.	(Catarino et al., 2016)	
<i>Desmodium velutinum</i> (Willd.) DC.	Benin	Roots	Latent jaundice.	(Allabi et al., 2011)
	Republic of the Congo	Leaves	Female infertility.	(Tchicailat-Landou et al., 2018)
	Burkina Faso	Bark	Diabetes.	
	Thailand	Stems and leaves	Hypertension.	(Khuankaew et al., 2014)
	-	Leaves, root, stem	Analgesic, venereal diseases, eye treatments, diarrhoea, dysentery, vermifuge, tuberculosis or related symptoms.	(Fomogne-Fodjo et al., 2014)
	-	-	Aches, pains, fever, analgesic.	(Chinenye et al., 2018)
	Benin	Roots	Male infertility.	(Agbodjento et al., 2020)

Species	Country or place where was reported	Part(s) used	Traditional medicinal uses	References
<i>Desmodium zonatum</i> Miq.	China	Leaves	Burns, scalds.	(Zheng et al., 2013)

The symbol - indicates the absence of information.

A total of 45 different biological activities were studied in this genus. The five most studied biological activities were antioxidant (46), antimicrobial (34), anti-inflammatory (16), hepatoprotective (13), and antinociceptive (9). Complete information of the biological activities studied in the genus *Desmodium* is presented in Table No. 2.

Table No. 2
Experimentally demonstrated biological activity of the genus *Desmodium*

Species	Demonstrated biological activity	Part(s) used	Type of extract	Groups of compounds / Secondary metabolites	References
<i>Desmodium adscendens</i> (Sw.) DC.	Antioxidant	Leaves	Aqueous methanolic.	-	(Muanda et al., 2011a)
	Immunoactivity	Leaves and stems	Aqueous.	-	(Rammal & Soulimani, 2011)
	Antihistamine	Whole plant	Hydroglyceric.	-	(Martini & Solimé, 2014)
	Airway relaxant	Leaves	Aqueous.	-	(Irié-N'guessan et al., 2011)
		Leaves	Methanolic.	-	
		Leaves	Aqueous ethanolic.	-	
	Antinociceptive	Leaves	Aqueous.	-	(Charles et al., 2016)
	Antioxidant and hepatoprotective	Leaves	Aqueous.	-	(Chuisseu et al., 2020)
	Renoprotective and cardioprotective	Leaves	Aqueous.	-	(Adinoyi, 2020)
	<i>Desmodium adscendens</i> (Sw.) DC.	Antimicrobial (<i>Staphylococcus aureus</i> ,	Leaves	Aqueous.	-
<i>Bacillus subtilis</i> ,		Leaves	Aqueous methanolic.	-	
<i>Escherichia coli</i> ,					
<i>Pseudomonas aeruginosa</i> , <i>Candida albicans</i>)					
Hepatoprotective		Leaves and twigs	Aqueous.	• D-pinitol	(Magielse et al., 2013)
Renoprotective (against oxidative stress)		Aerial parts	Hydroalcoholic.	-	(François et al., 2015)
Antiulcer		Stems and	Methanolic.	-	(Ayoola et al., 2018)
Antioxidant		leaves Stems and leaves	Methanolic.	-	
Antipsychotic		Whole plant	Ethanolic.	-	(Amoateng et al., 2017)
Antioxidant		Leaves	Aqueous ethanolic.	-	(Zielińska-Pisklak et al., 2015)
Alexiteric		Leaves	Aqueous.	-	(Granda, 2015)
		Leaves	Ethanolic.	-	
		Leaves	Hexane.	-	
Antimicrobial (<i>C. albicans</i> , <i>Candida parapsilosis</i> , <i>Candida krusei</i> , <i>S. aureus</i> , <i>Enterobacter cloacae</i> , <i>Enterococcus faecalis</i> , <i>E. coli</i> , <i>Klebsiella pneumoniae</i> , <i>P. aeruginosa</i> , <i>Acinetobacter baumannii</i>)		Roots	Methanolic.	-	(Adeniyi et al., 2013)
Antioxidant		Stems, leaves	Crude methanol.	-	(Konan et al., 2012)
	Stems, leaves	Ethyl acetate.	-		
	Stems, leaves	<i>n</i> -butanol.	-		
Antibacterial (<i>S. aureus</i> , <i>Bacillus cereus</i> , <i>E. coli</i>)	Whole plant	Chloroform / methanol.	-	(Lakkakula et al., 2017)	

Species	Demonstrated biological activity	Part(s) used	Type of extract	Groups of compounds / Secondary metabolites	References
	Antibacterial (<i>S. aureus</i> , <i>K. pneumoniae</i> , <i>Moraxella catarrhalis</i> , <i>Mycobacterium smegmatis</i> , <i>Mycobacterium aurum</i>)	Whole plant	Methanol / dichloromethane.	-	(Fomogne-Fodjo et al., 2014)
<i>Desmodium affine</i> Schltl.	Antifungal (<i>Microsporium gypseum</i>)	Leaves	Methanolic.	-	(de Morais et al., 2017)
<i>Desmodium barbatum</i> (L.) Benth.	Antifungal (<i>M. gypseum</i>)	Leaves	Methanolic.	-	(de Morais et al., 2017)
<i>Desmodium canescens</i> (L.) DC.	Antiulcer	Aerial parts	Ethanol.	-	(Macha et al., 2018)
<i>Desmodium caudatum</i> (Thunb.) DC.	Antimicrobial synergism against methicillin-resistant <i>S. aureus</i> (MRSA)	-	-	• Sophoraflavanone B	(Mun et al., 2013)
	Anti-inflammatory	-	-	• 2'-hydroxyl yokovanol	(Li et al., 2014a)
	Antioxidant	-	-	• 2'-hydroxyl neophellamuretin	
				• 1,3,5,6-tetrahydroxyxanthone	
	Antifungal (<i>Trichophyton</i> sp.)	Roots	-	• New compound isolated*	(Sasaki et al., 2012b)
	Antibacterial (MRSA)	Roots	-	• Sophoraflavanone B	(Mun et al., 2014)
	Antibacterial (<i>S. aureus</i>)	-	-	• Sophoraflavanone B	(Farhadi et al., 2019)
	Antiplatelet	-	-	• Swertisin	(de Almeida Chaves et al., 2019)
				• Lupeol	
	Analgesic	Whole plant	Ethanol.	-	(Ma et al., 2011a)
	Anti-inflammatory	Whole plant	Ethanol.	-	
	Antipyretic	Whole plant	Ethanol.	-	
	Antioxidant	Whole plant	-	• Descaudatine A	(Xu et al., 2020)
				• 8-dimethylallyltaxifolin	
	Anticancer	Whole plant	-	• Nothofagin	
				• 2'-hydroxyl neophellamuretin	
				• 2"-O-rhamnosylswertisin	

Species	Demonstrated biological activity	Part(s) used	Type of extract	Groups of compounds / Secondary metabolites	References
	Antibacterial (MRSA and methicillin-sensitive <i>S. aureus</i>)	Roots	-	<ul style="list-style-type: none"> Leachianone G Sophoraflavanone B 8-(γ,γ-dimethylallyl)-5,7,4'-trihydroxydihydroflavonol Yukovanol 	(Sasaki <i>et al.</i> , 2012a)
<i>Desmodium caudatum</i> (Thunb.) DC.	Anti-Alzheimer's disease	Roots	-	<ul style="list-style-type: none"> Citrusinol 8-prenylquercetin 3β, 23, 28- trihydroxy-12-oleanene 23-caffeate 3β, 23, 28- trihydroxy-12-oleanene 3β-caffeate Kaempferol 5'-methoxy-9-<i>O</i>-β-D-xylopyranosyl(-)-isolariciresinol 	(Guo <i>et al.</i> , 2016)
<i>Desmodium congestum</i> Benth.	Antibacterial (Gram-positive bacteria, MRSA)	Whole plant	-	<ul style="list-style-type: none"> 5'-<i>O</i>-methyl-3-hydroxyflemingin A 5'-<i>O</i>-methylflemingin C 	(Rees <i>et al.</i> , 2015)
<i>Desmodium cuneatum</i> Hook. & Arn.	Antifungal (<i>M. gypseum</i>)	Leaves	Methanolic.	-	(de Morais <i>et al.</i> , 2017)
<i>Desmodium elegans</i> DC.	Antifungal (<i>Microsporium canis</i> y <i>Fusarium solani</i>) Monoamine oxidase inhibitor	Aerial parts Aerial parts Aerial parts Leaves	Dichloromethane. Ethyl acetate. Methanolic. -	<ul style="list-style-type: none"> - - - Total alkaloidal extract Desmodeleganine Bufotenin Hydroxy-N, N-dimethyltryptamine N¹²-oxide 2-(5-methoxy-1H-indol-3-yl)-N, N-dimethylethylamine 	(Zhi <i>et al.</i> , 2014)

Species	Demonstrated biological activity	Part(s) used	Type of extract	Groups of compounds / Secondary metabolites	References	
<i>Desmodium gangeticum</i> (L.) DC.	Wound healing	Aerial parts	Aqueous.	-	(Jain et al., 2010)	
	Antimutagenic Antimicrobial (<i>P. aeruginosa</i> , <i>B. subtilis</i> , <i>E. coli</i> , <i>C. albicans</i>)	Aerial parts	Methanolic.	-	(Hasmukhlal et al., 2016)	
		Leaves	Methanolic.	-	(Lagudu & Owk, 2016)	
		Leaves	Hexane.	-		
		Leaves	Chloroform.	-		
	Anti-inflammatory Memory enhancing (Anti-Alzheimer's disease)	Barks	Ethanollic.	-	(Basheer & Satish, 2018)	
		Roots	Ethanollic.	-	(Priyadharshini, 2016)	
	<i>Desmodium gangeticum</i> (L.) DC.	Cardiotonic Antioxidant (cardioprotective)	Roots	Chloroform.	-	(Kurian et al., 2010a)
			Roots	Chloroform.	-	(Srivats et al., 2012)
		Antioxidant (cardioprotective)	Roots	Ethyl acetate.	-	(Kurian et al., 2010b)
Anti-Alzheimer's disease and neuroprotective		-	-	-	(Obulesu & Rao, 2011)	
Antioxidant		Whole plant	Acetone / water / acetic acid.	-	(Lee et al., 2015)	
Antimutagenic Anti-inflammatory		Aerial parts	Methanolic.	-	(Thakkar et al., 2015)	
		Roots and aerial parts	Aqueous.	-	(Ragavan, 2017)	
Antinociceptive		Roots and aerial parts	Aqueous.	-		
Neuroprotective		Roots and aerial parts	Aqueous.	-		
Antioxidant		Leaves	Ethanollic.	-	(Suriyavathana et al., 2010)	
Antidiabetic	Aerial parts	Aqueous.	-	(Mukherjee, 2019)		
Cardioprotective	Roots	Methanolic.	-	(Kurian & Paddikkala, 2012)		
Antioxidant	Whole plant	Ethanollic.	-	(Tsai et al., 2011)		
Antioxidant	Leaves	Ethanollic.	-	(Venkatachalam & Muthukrishnan, 2012)		
Antioxidant	Leaves	Ethanollic.	-	(Sagar & Upadhyaya, 2013)		
Antinociceptive	Leaves	Ethanollic.	-			
Anti-inflammatory	Leaves	Ethanollic.	-			
Anti-inflammatory	Leaves	Ethanollic.	-	(Sagar et al., 2010)		
Antinociceptive	Leaves	Ethanollic.	-			
Gastroprotective (Antiulcerogenic)	Roots	Ethanollic.	-	(Mahesh et al., 2012)		
Neuroprotective and memory enhancing	Whole plant	Hydroalcoholic.	-	(Changdar et al., 2019)		
Antinociceptive	Stems	Methanolic.	-	(Jahan et al., 2010)		
Anti-inflammatory	Roots	Aqueous.	-	(Nagarkar et al., 2013)		
Anti-inflammatory	Aerial parts	Aqueous.	-	(Bisht et al., 2014)		
Cardioprotective	Roots	Aqueous.	-	(Hitler et al., 2014)		
Anti-inflammatory	Whole plant	Ethanollic.	-	(Yasmeen & Sujatha, 2013)		
<i>Desmodium gangeticum</i> (L.) DC.	Antidiabetic	Leaves	-	• Methyl salicylate β -D-glucopyranoside	(Dat et al., 2015)	

Species	Demonstrated biological activity	Part(s) used	Type of extract	Groups of compounds / Secondary metabolites	References
	Anticancer	Leaves	-	• Salicin	(Srivastava et al., 2013)
	Antibacterial (<i>K. pneumoniae</i> , <i>E. coli</i> , <i>Salmonella typhi</i> , <i>Streptococcus mutants</i> , <i>P. aeruginosa</i>)	Whole plant	Methanolic.	-	(Karthikeyan et al., 2012)
		Whole plant	Ethanollic.	-	
		Whole plant	Chloroform.	-	
		Whole plant	Aqueous.	-	
	Antioxidant	Roots	Aqueous.	-	(Jamuna et al., 2014)
	Antioxidant and cardiac antihypertrophic	Roots	Methanolic.	-	(Sankar et al., 2013)
	Antimicrobial (<i>B. cereus</i> , <i>Aeromonas hydrophila</i> , <i>C. albicans</i> , <i>Aspergillus flavus</i> , <i>Aspergillus terreus</i> , <i>Penicillium chrysogenum</i>)	Roots	Methanolic.	-	(Hemlal & Ravi, 2012)
	Antidepressant and anxiolytic	Roots	-	• Alkaloids	(Mahajan et al., 2017)
	Anti-inflammatory	Roots and aerial parts	-	• (17Z,20Z)-hexacos-17,20-dien-9-one	(Yadav et al., 2013)
				• Gangenoid	
	Antiamnesic	Roots	Chloroform.	• Alkaloids	(Mahajan et al., 2015)
	Antiasthmatic	Roots	Chloroform.	-	(Antony et al., 2010)
		Roots	Ethanollic.	-	
		Roots	Hydroalcoholic.	-	
	Renoprotective	Whole plant	Ethanollic.	-	(Yasmeen et al., 2011)
	Antidiabetic	Whole plant	Ethanollic.	-	
	Antioxidant	Whole plant	Ethanollic.	-	
	Hepatoprotective	Leaves	Ethanollic.	-	(Venkatachalam & Muthukrishnan, 2013)
	Antioxidant	Leaves	Aqueous.	-	(Waisundara & Watawana, 2014)
<i>Desmodium gyrans</i> (L. f.) DC.	Antibacterial (<i>E. coli</i> , <i>S. typhi</i> , <i>K. pneumoniae</i> , <i>Vibrio cholerae</i> , <i>S. aureus</i>)	Leaves	Methanolic.	-	(Kalirajan et al., 2012)
		Leaves	Aqueous.	-	
	Wound healing	Leaves	Aqueous.	-	
<i>Desmodium heterocarpon</i> (L.) DC.	Anticoagulant	Leaves	Methanolic.	-	(Vipin et al., 2015)
	Antioxidant	Whole plant	Ethanollic.	-	(Tsai et al., 2011)
	Antimicrobial	Whole plant	Methanolic.	-	(Al Hasan et al., 2011)
	Antioxidant	Whole plant	Methanolic.	-	
<i>Desmodium heterophyllum</i> (Willd.) DC.	Antidiabetic	Aerial parts	-	• Genistein	(Ha et al., 2018a)
				• Dalbergioidin	
	Antibacterial (<i>S. aureus</i>)	Stem bark	Crude aqueous.	-	(Mohotti et al., 2020)
		Stem bark	Crude organic.	-	

Species	Demonstrated biological activity	Part(s) used	Type of extract	Groups of compounds / Secondary metabolites	References
<i>Desmodium incanum</i> (Sw.) DC.	Antifungal (<i>Trichophyton rubrum</i> , <i>Trichophyton mentagrophytes</i> , <i>M. gypseum</i>)	Leaves	Methanolic.	-	(de Morais et al., 2017)
	Antibacterial (<i>S. aureus</i> , <i>K. pneumoniae</i> , Group D Streptococcus)	Leaves Blossoms Leaves Blossoms	Methanolic. Methanolic. Aqueous. Aqueous.	- - - -	(Pitkin et al., 2019)
<i>Desmodium intortum</i> (Mill.) Urb.	Antioxidant	Whole plant	Ethanollic.	-	(Tsai et al., 2011)
<i>Desmodium leiocarpum</i> (Spreng.) G. Don	Antifungal (<i>M. gypseum</i>)	Leaves	Methanolic.	-	(de Morais et al., 2017)
<i>Desmodium microphyllum</i> (Thunb.) DC.	Antioxidant	Whole plant	Ethanollic.	-	(Tsai et al., 2011)
<i>Desmodium molliculum</i> (Kunth) DC.	Anti-inflammatory	Whole plant	Ethanollic.	-	(Acero-Carrión et al., 2012)
	Hepatoprotective	Whole plant	Hydroalcoholic.	-	(Saucedo & Tocto, 2018)
	Hepatoprotective	Leaves and stems	Aqueous.	-	(Gordillo et al., 2019)
	Wound healing	Leaves	Hydroethanollic.	-	(Castañeda, 2020)
<i>Desmodium molliculum</i> (Kunth) DC.	Hepatoprotective	Whole plant	Hydroalcoholic.	-	(Saucedo et al., 2019)
	Diuretic	Leaves	Hydroalcoholic.	-	(Cancho, 2018)
	Antibacterial (<i>S. aureus</i>)	-	Ethanollic.	-	(Bussmann et al., 2010)
	Contraceptive and post-coital	Leaves	Ethanollic.	-	(Acero Chuquicaña, 2013)
	Antioxidant	Leaves	Methanolic.	-	(Wang et al., 2017)
	Antibacterial (<i>S. aureus</i>)	Stems, leaves and flowers	Hydroalcoholic.	-	(Landeta, 2015)
	Antibacterial (<i>E. coli</i>)	Leaves and stems	Ethanollic.	-	(Olivera & Principe, 2018)
<i>Desmodium motorium</i> (Houtt.) Merr.	Antioxidant	Whole plant	Crude methanolic extract.	-	(Chowdhury et al., 2013)
		Whole plant	<i>n</i> -hexane fraction.	-	
		Whole plant	Carbon tetrachloride fraction.	-	
		Whole plant	Dichloromethane fraction.	-	
	Antimicrobial	Whole plant		-	
		Whole plant	Crude methanolic extract.	-	
		Whole plant	<i>n</i> -hexane fraction.	-	
		Whole plant	Carbon tetrachloride fraction.	-	
		Whole plant	Dichloromethane fraction.	-	

Species	Demonstrated biological activity	Part(s) used	Type of extract	Groups of compounds / Secondary metabolites	References
<i>Desmodium oblongum</i> Wall. ex Benth.	Anticancer	Whole plant	-	<ul style="list-style-type: none"> • 4'-hydroxy-8-isobutyryl-7-methoxy-6-methyl-flavone • 4',7-dimethoxy-8-isobutyryl-6-methyl-flavone • 4',7-dimethoxy-8-isobutyryl-flavone 	(Li et al., 2017b)
<i>Desmodium oojeinense</i> (Roxb.) H. Ohashi	Hepatoprotective	Stem bark	Ethanolic.	-	(Jayadevaiah et al., 2012)
<i>Desmodium oxyphyllum</i> DC.	Anticancer	Whole plant	-	<ul style="list-style-type: none"> • (3R)-7-hydroxy-4'-methoxy-5-methoxycarbonyl-isoflavanone • (3R)-8-hydroxy-4'-methoxy-7-methoxycarbonyl-isoflavanone • (3R)-7,2',4'-trihydroxy-3'-methoxy-5-methoxycarbonyl-isoflavanone • 3,5,7,4'-tetrahydroxy-coumaronochromone 	(Li et al., 2014b)
	Anticancer	Whole plant	-	<ul style="list-style-type: none"> • (3R) 4',7-methoxy-5-methoxycarbonyl-isoflavanone 	(Wang et al., 2015)
<i>Desmodium paniculatum</i> (L.) DC.	Sedative	Leaves	Methanolic.	-	(Rashid et al., 2013)
	Thrombolytic	Leaves	Methanolic.	-	(Sayeed et al., 2014)
<i>Desmodium pauciflorum</i> (Nutt.) DC.	Analgesic and anti-inflammatory	Leaves	Ethanolic.	-	(Hassan et al., 2013)
<i>Desmodium podocarpum</i> DC.	Analgesic, anti-inflammatory and antipyretic	Whole plant	Petroleum ether fraction.	-	(Zhu et al., 2011)
	Anticancer	Whole plant	-	<ul style="list-style-type: none"> • 2',4-hydroxy-3,4'-dimethoxychalcone • 2',3-hydroxy-4,4'-dimethoxychalcone 	(Qin et al., 2015)

Species	Demonstrated biological activity	Part(s) used	Type of extract	Groups of compounds / Secondary metabolites	References
<i>Desmodium pulchellum</i> (L.) Benth. in Miq.	Anti-liver fibrosis	-	-	• Total alkaloids	(Hu, 2012)
	Antidiarrhoeal	Leaves	Methanolic.	-	(Rahman <i>et al.</i> , 2013)
	Cardioprotective	Leaves	Petroleum ether.	-	
		Leaves	Crude methanolic extract.	-	(Reyad-ul-ferdous <i>et al.</i> , 2015)
		Leaves	Ethanollic.	-	
		Leaves	Hexane soluble fraction.	-	
Leaves	Aqueous soluble fraction.	-			
Anti-inflammatory	Barks	Ethanollic.	-	(Noor <i>et al.</i> , 2013)	
Antidiabetic	Barks	Ethanollic.	-		
<i>Desmodium pulchellum</i> (L.) Benth. in Miq.	Antinociceptive	Barks	Crude ethanollic extract.	-	(Ahmed <i>et al.</i> , 2013)
		Barks	Petroleum ether fraction.	-	
		Barks	Carbon tetrachloride fraction.	-	
<i>Desmodium ramosissimum</i> G. Don	Antibacterial (<i>B. subtilis</i> , <i>E. coli</i> , <i>P. aeruginosa</i> , <i>S. typhi</i> , <i>S. aureus</i>)	Leaves	Aqueous.	-	(Alli <i>et al.</i> , 2011)
		Leaves	Methanolic.	-	
		Leaves	Hexane.	-	
	Antioxidant	Whole plant	Methanolic extract.	-	(Ezealigo, 2016)
		Whole plant	<i>n</i> -hexane fraction.	-	
		Whole plant	Ethyl acetate fraction.	-	
Whole plant	<i>n</i> -butanol fraction.	-			
Whole plant	Aqueous fraction.	-			
<i>Desmodium renifolium</i> (L.) Schindl.	Antioxidant	Whole plant	Ethanollic.	-	(Tsai <i>et al.</i> , 2011)
	Anticancer	Whole plant	-	• Renifolin E	(Li <i>et al.</i> , 2014c)
• Renifolin F					
<i>Desmodium salicifolium</i> (Poir.) DC.	Antibacterial (<i>S. aureus</i> , <i>K. pneumoniae</i> , <i>M. catarrhalis</i> , <i>M. smegmatis</i> , <i>M. aurum</i>)	Leaves	Methanol / dichloromethane.	-	(Fomogne-Fodjo <i>et al.</i> , 2014)
		Stems	Methanol / dichloromethane.	-	
<i>Desmodium sambuense</i> (D. Don) DC.	Neurogenesis	Whole plant	-	• 3 β ,23,28-trihydroxy-12-oleanene 3 β -caffeate	(Cheng <i>et al.</i> , 2019)
	Neuritogenic	-	-	• (3 <i>S</i> ,4 <i>R</i>)-23,28-dihydroxyolean-12-en-3-yl (2 <i>E</i>)-3-(3,4-dihydroxyphenyl)acrylate	(Bian <i>et al.</i> , 2018)

Species	Demonstrated biological activity	Part(s) used	Type of extract	Groups of compounds / Secondary metabolites	References
<i>Desmodium scorpiurus</i> (Sw.) Poir. in F. Cuvier	Antioxidant	Whole plant	Ethanol.	-	(Tsai et al., 2011)
<i>Desmodium sequax</i> Wall.	Antioxidant	Whole plant	Ethanol.	-	(Tsai et al., 2011)
<i>Desmodium styracifolium</i> (Osbeck) Merr.	Antioxidant Angiotensin-converting enzyme inhibitor	Leaves Aerial parts	Ethanol. -	- • Vicenin 2 • Carlinoside • Vicenin 1 • Schaftoside • Vicenin 3	(Galvez, 2015) (Zhang et al., 2015)
	Inhibitors of calcium oxalate kidney stone formation	Whole plant	Aqueous.	-	(Rodgers et al., 2014)
	Antioxidant	Whole plant	Methanolic.	-	(Sun et al., 2018)
	Antilithic and antioxidant	Aerial parts	Petroleum ether fraction.	-	(Xiang et al., 2015)
		Aerial parts	<i>n</i> -butyl alcohol fraction.	-	
	Antilithic and antioxidant	Whole plant	Aqueous.	-	(Mi et al., 2012)
	Antioxidant	Seeds	<i>n</i> -butanol.	-	(Cheng et al., 2017)
		Seeds	Chloroform.	-	
	Antioxidant	Seeds	<i>n</i> -butanol.	-	(Cheng et al., 2018)
	Hepatoprotective	-	-	• Schaftoside	(Liu et al., 2020a)
	Regulation of urinary stone formation and renoprotective	-	-	• Total flavones	(Xie et al., 2018)
	Renoprotective	-	-	• Total flavones	(Xie et al., 2019)
	Renoprotective	Aerial parts	Ethanol.	-	(Hou et al., 2018)
	Alcohol dehydrogenase inhibitor	Whole plant	-	• Formononetin • Aromadendrin	(Liu et al., 2015)
	Antiuro lithiatic and antioxidant	Aerial parts	-	• Total flavonoids	(Zhou et al., 2018)
	Hepatoprotective and hypolipidemic	-	-	• Schaftoside	(Liu et al., 2020b)
	Protection against the formation of cholesterol gallstones, hepatoprotective and hypolipidemic	-	-	• Schaftoside	(Liu et al., 2017)
<i>Desmodium subsericeum</i> Malme	Antifungal (<i>T. rubrum</i> , <i>M. gypseum</i>)	Leaves	Methanolic.	-	(de Morais et al., 2017)
<i>Desmodium tortuosum</i> (Sw.) DC.	Antioxidant	Whole plant	Ethanol.	-	(Tsai et al., 2011)

Species	Demonstrated biological activity	Part(s) used	Type of extract	Groups of compounds / Secondary metabolites	References
<i>Desmodium triangulare</i> (Retz.) Merr.	Anti-inflammatory	Roots	Methanolic.	-	(Jayaseelan et al., 2013)
<i>Desmodium triflorum</i> (L.) DC.	Antioxidant	Whole plant	Ethanollic.	-	(Tsai et al., 2011)
	Antiurolihiatic	Whole plant	Ethanollic.	-	(Revanasiddappa et al., 2019)
	Antioxidant	Whole plant	Ethyl acetate fraction.	-	(Lai et al., 2010)
	Anthelmintic	Whole plant	<i>n</i> -hexane fraction.	-	(Gavalapu et al., 2013)
		Leaves	Aqueous.	-	
		Roots	Aqueous.	-	
		Leaves	Methanollic.	-	
		Roots	Methanollic.	-	
		Leaves	Aqueous / methanollic / petroleum ether.	-	
		Roots	Aqueous / methanollic / petroleum ether.	-	
	Anticonvulsant and antioxidant	Leaves	Aqueous.	-	(Bhosle, 2013)
	Anticonvulsant and antioxidant	Leaves	Ethanollic.	-	(Gowda et al., 2012)
	Anticonvulsant and antioxidant	Leaves	Ethanollic.	-	(Bhosle, 2011)
<i>Desmodium triquetrum</i> (L.) DC.	Neuroprotective	Roots	Aqueous.	-	(Joshi et al., 2018)
	Anti-inflammatory	Leaves	Methanollic.	-	(Kalyani et al., 2011a)
	Antioxidant	Leaves	Ethanollic.	-	
	Hypolipidemic	Whole plant	-	<ul style="list-style-type: none"> • 6'-<i>O</i>-<i>cis</i>-<i>p</i>-coumaroyl-3,5-dihydroxyphenyl-β-<i>D</i>-glucopyranoside • Tadehaginoside 	(Wu et al., 2014)
<i>Desmodium triquetrum</i> (L.) DC.	Antioxidant	Whole plant	-	<ul style="list-style-type: none"> • Polyphenols 	(Zhang et al., 2020)
	Hepatoprotective	Leaves	Ethanollic.	-	(Kalyani et al., 2011b)
	Antioxidant	Leaves	Ethanollic.	-	
<i>Desmodium uncinatum</i> (Jacq.) DC.	Antioxidant	Whole plant	Ethanollic.	-	(Tsai et al., 2011)

Species	Demonstrated biological activity	Part(s) used	Type of extract	Groups of compounds / Secondary metabolites	References
	Hepatoprotective	Aerial parts	Crude methanolic extract.	<ul style="list-style-type: none"> • (2S, 3S, 4R, 7R, 8Z)-1-O-β-D-glucopyranosyl-2-[(R)-2'-hydroxyarachidoylamino]-docosan-8-ene-3,4,7-triol • Spiraeamide • Isovitexin • Vitexin • Vicenin 3 	(Tsafack et al., 2018)
		Aerial parts	Ethyl acetate fraction.		
		Aerial parts	n-butanol fraction.		
<i>Desmodium velutinum</i> (Willd.) DC.	Hepatoprotective	Stems	Ethanol.	-	(Eze-Steven et al., 2014)
	Antipyretic	Leaves	Ethanol.	-	(Fred et al., 2012)
	Hypolipidemic	Leaves	Aqueous.	-	(Steven & Ude, 2017)
	Hypoglycemic	Leaves	Methanolic.	-	(Ozougwu & Akuba, 2018)
	Antibacterial (<i>E. coli</i> , <i>P. aeruginosa</i> , <i>S. aureus</i>)	Leaves	Ethanol.	-	(Ebana et al., 2016)
	Hypolipidemic	Leaves	Aqueous.	-	(Eze-Steven & Ude, 2019)
	Antiplasmodial	Leaves	Dichloromethane.	-	(Traoré-Coulibaly et al., 2013)
		Leaves	Ethanol.	-	
	Antibacterial (<i>S. aureus</i> , <i>K. pneumoniae</i> , <i>M. catarrhalis</i> , <i>M. smegmatis</i> , <i>M. aurum</i>)	Leaves	Methanol / dichloromethane.	-	(Fomogne-Fodjo et al., 2014)
	Antioxidant	Stems	Methanol / dichloromethane.	-	
		Stem bark	Methanolic.	-	(Chinenye et al., 2018)

The symbol - indicates the absence of information, the symbol * indicates that the chemical name of the secondary metabolite is not reported



Figure No. 2

Some of the *Desmodium* species located in Cuenca, Ecuador

A) *Desmodium adscendens*; B) *Desmodium molliculum*

The antioxidant, antimicrobial, anti-inflammatory, antinociceptive, anti-inflammatory and hepato-protective biological activities were the most mentioned in this review. The extensive study of these activities has made it possible to correlate them

with several of their traditional medicinal uses. Although antioxidant activity was the most evaluated, it is not possible to establish a direct relationship with specific traditional medicinal uses. However, it is known that antioxidant activity is closely related to

other biological activities because it prevents cell deterioration by inhibiting free radicals and other oxidant agents like hydroxyl radicals, peroxy radicals, hypochlorous acid, and superoxide radicals (Chuisseu et al., 2020; Muanda et al., 2011a). Free radical-mediated diseases like asthma, rheumatoid arthritis, aging, cardiovascular, mutagenic, inflammation-associated diseases, among others, could be attenuated by the potent scavenger potential of reactive oxygen species from extracts of the genus (Galvez, 2015; Kalyani et al., 2011a; Kurian et al., 2010b; Zielińska-Pisklak et al., 2015).

In this review, the antioxidant activity was determined in extracts from *D. adscendens* (Figure No. 2), *D. caudatum*, *D. gangeticum*, *D. heterocarpon*, *D. intortum*, *D. microphyllum*, *D. molliculum* (Figure No. 2), *D. motorium*, *D. ramosissimum*, *D. renifolium*, *D. scorpiurus*, *D. sequax*, *D. styracifolium*, *D. tortuosum*, *D. triflorum*, *D. triquetrum*, *D. uncinatum* and *D. velutinum*. Their benefits are attributed to phenolic and nitrogen compounds such as flavonoids, anthocyanins, carotenoids, polyphenols and tannins (François et al., 2015; Galvez, 2015; Kalyani et al., 2011a; Muanda et al., 2011a). Specific metabolites have also been determined in several species largely responsible for the antioxidant potential. Li et al. (2014a), determined that a xanthone compound, 1,3,5,6-tetrahydroxanthone, is primarily responsible for the antioxidant activity in *D. caudatum*. This compound is uncommonly found in the genus *Desmodium*. Compounds such as descaudatine A, nothofagin, 8-dimethylallyltaxifolin and 8-prenylquercetin, described as potent antioxidants, have also been isolated from this species (Guo et al., 2016; Xu et al., 2020). Rastogi et al. (2011), indicate that caffeic acid and chlorogenic acid might be responsible for the antioxidant activity of *D. gangeticum*. In *D. sequax* chlorogenic acid is the main component of the antioxidant activity (Tsai et al., 2011). Many of the studies suggest that the effect is evidenced in a concentration-dependent manner and that the antioxidant potential varies depending on the solvent used in the extraction because each extract possesses unique chemical constituents (Sankar et al., 2013; Li et al., 2014a; Ezealigo, 2016).

Antimicrobial activity has been mainly studied in *D. caudatum*, *D. adscendens*, *D. gangeticum* and *D. molliculum*. It has been determined that extracts from different species of the genus *Desmodium* possess inhibitory effects on the growth of bacteria and fungi even at low concentrations (MIC values lower than 125 µg/mL),

several of which are important clinical pathogens. Thus, *D. adscendens* has inhibitory properties on *E. coli*, *A. niger*, *P. aeruginosa*, *B. subtilis*, *S. aureus*, *C. albicans* and *K. pneumoniae* (Muanda et al., 2011b; Adeniyi et al., 2013; Landeta, 2015). *D. gangeticum*, *D. gyrans* and *D. ramosissimum* also showed a strong antimicrobial activity on the same strains (Lagudu & Owk, 2016) and over *S. typhi*, *S. mutants* (Alli et al., 2011; Karthikeyan et al., 2012) and *V. cholerae* (Kalirajan et al., 2012). Pitkin et al. (2019), reported that *D. incanum* proved to be very potent in decreasing the growth of *K. pneumoniae*, *S. aureus* and group D *Streptococcus*. These findings support the widely use in worldwide traditional systems of medicine, where are mainly used to treat diseases associated with the respiratory tract, such as tuberculosis and bronchitis (Fomogne-Fodjo et al., 2014), in gastrointestinal and urinary tract infections (Muanda et al., 2011b), also in the treatment of wounds and abscesses and other skin conditions and infections in general and related symptoms (Alli et al., 2011; Sasaki et al., 2012b; Lagudu & Owk, 2016; Lakkakula et al., 2017).

Chemical constituents which are attributed to the antimicrobial action, in a general way are flavonoids, tannins, alkaloids, saponins, steroids and astragalin (Adeniyi et al., 2013; Landeta, 2015). Further studies have determined a relationship between structure and activity in flavonoids, it is suggested that the amphipathic features of these molecules play an important role in the antibacterial properties. Hydrophobic substituents like prenyl groups, alkyl chains, alkylamino chains and nitrogen or oxygen containing heterocyclic moieties usually improve the activity (Farhadi et al., 2019). Flavonoids and prenylated flavonoids isolated from *D. caudatum* demonstrated effectiveness against methicillin-resistant *S. aureus*, an important example of these molecules is sophoraflavanone B (Mun et al., 2013; Mun et al., 2014). This kind of molecules was described even as potent antifungal agents by Sasaki et al. (2012b), its efficacy was tested against strains of *A. niger*, *Penicillium* sp., *Rhizopus* sp. and *Tricophyton* sp.

Another important activity widely studied in the genus is the anti-inflammatory. *D. gangeticum* and *D. caudatum* are the most cited in this review for this activity, nevertheless, more authors that reported this potential in other species. It has been suggested that the anti-inflammatory effect relays in secondary metabolites such as flavonoids, saponins, pterocarpinoids, alkaloids and their N-oxides (Sagar et al., 2010; Rastogi et al., 2011; Zhu et al., 2011

Basheer & Satish, 2018). Several mechanisms have been described by which extracts of *Desmodium* species achieve the anti-inflammatory effect. Flavonoids are described as molecules with the ability to inhibit the cyclooxygenase pathway (Sagar et al., 2010; Zhu et al., 2011). 2'-hydroxyl yokovanol and 2'-Hydroxyl neophellamuretin, phenolic compounds isolated from *D. caudatum*, showed inhibitory effects on the synthesis of pro-inflammatory cytokines (Li et al., 2014a). Studies on this activity in *D. gangeticum* and *D. molliculum* demonstrated the decrease in pro-inflammatory mediators like TNF- α , IL-1 β , IL-6, COX-2 (Ragavan, 2017), the inhibition of Th2 lymphocytes and eosinophils, the concentration of IL-4, IL-5, IL-8 and IgE, a fundamental mediator in the pathophysiology of asthma (Acero-Carrión et al., 2012). All of the above explains the traditional use given to it in traditional medicine, it is employed to treat febrile diseases, wounds, rheumatic diseases, among others (Ma et al., 2011a; Zhu et al., 2011; Li et al., 2014a).

The determination of the antinociceptive potential has been of interest and cited by several authors, studied in some species of *Desmodium*, but mainly in *D. gangeticum*. Species from this genus have been traditionally used to treat body ache, pains, general inflammations, diseases associated with smooth muscles, fever, malaria, and rheumatism (Ahmed et al., 2013; Charles et al., 2016). Anti-inflammatory, antinociceptive and antipyretic activities of many plants have been attributed to their secondary metabolites such as saponin, terpenoids, flavonoids and steroids (Ahmed et al., 2013). Regarding the possible mechanisms of action associated with the activity, many agree that the extracts probably inhibit the central synthesis of prostaglandins such as cyclooxygenase, lipooxygenase or induce the nitric oxide synthesis, additionally, modify intracellular signalling pathways in immune cells (Ma et al., 2011a; Ahmed et al., 2013; Charles et al., 2016). A preliminary research conducted by Charles et al. (2016), showed that procyanidins, a class of flavonoids obtained from *D. adscendens*, modules the arachidonic acid pathway, inhibits the gene transcription, protein expression and activity of inflammatory enzymes, as well the secretion of anti-inflammatory mediators.

The importance of the study of hepatoprotective activity of the genus *Desmodium* is associated with its traditional medicinal used in Latin America and Africa, *D. adscendens*, by example, has been used in management of asthma and liver related diseases (Chuisseu et al., 2020), *D. styracifolium* is

used to treat jaundice hepatitis, liver cirrhosis and cholelithiasis (Liu et al., 2020b). In our review this activity is more cited in this species but also in *D. molliculum*. Phytoconstituents suggested for this activity are steroids, triterpenoids and flavonoids (Kalyani et al., 2011b; Jayadevaiah et al., 2012). Lipid peroxidation is considered the main molecular mechanism involved in the oxidative damage of cell structures and the pathogenicity and maintenance of hepatitis. C-glicosyl flavonoids and cerebrosides, isolated from *D. uncinatum*, showed a potent inhibitory activity in lipid peroxidation (Tsafack et al., 2018).

There is an important relationship between antioxidant and hepatoprotective effects, due to the inhibition of oxidative stress and capacity to protect membrane integrity on liver cells. Besides, *D. adscendens* revealed anti-HCV activity in cell culture (Chuisseu et al., 2020).

One of the specific molecules over which the hepatoprotective potential has been demonstrated has been schaftoside, a flavonoid common in some *Desmodium* species, which can decrease the lipid accumulation and the hepatic inflammation by altering eicosanoids metabolic pathway (Liu et al., 2020a; Liu et al., 2020b). D-pinitol is another important molecule, found in the genus *Desmodium*, with radical scavenging activity, this contributes to the protective effect of extracts, however, it does not show a curative effect (Chuisseu et al., 2020). In all the cases, the hepatoprotective potential was evidenced by reduction of biochemical indicators such as SGOT, SGPT, ALP, total bilirubin, by increasing the levels of total proteins and it was confirmed by histopathological examinations on liver sections (Jayadevaiah et al., 2012; Venkatachalam & Muthukrishnan, 2013; Gordillo et al., 2019).

CONCLUSIONS

The genus *Desmodium* includes a wide variety of species with an important medical value. Lots of medicinal traditional uses have been supported by through the study of biological activity in laboratory. However, there are still a lot of them that have not yet been demonstrated, our review could be used as a referent for further investigations.

ACKNOWLEDGEMENTS

The authors acknowledge Jéssica Calle López (Department of Biosciences, Group of Medicinal Plants and Natural Products, Faculty of Chemistry, School of Biochemistry and Pharmacy, Universidad de Cuenca, Ecuador) for the photographs of *Desmodium* species.

REFERENCES

- Abbas Z, Khan SM, Alam J, Khan SW, Abbasi AM. 2017. Medicinal plants used by inhabitants of the Shigar Valley, Baltistan region of Karakorum range-Pakistan. **J Ethnobiol Ethnomed** 13: 53. <https://doi.org/10.1186/s13002-017-0172-9>
- Acaro Chuquicaña FE. 2013. Efecto anticonceptivo y postcoital del extracto etanólico de las hojas del *Desmodium molliculum* (HBK).DC “Manayupa” en ratas hembras Holtzmann. **Revista ECIPerú** 9: 33 - 41. <https://doi.org/10.33017/RevECIPeru2012.0018>
- Acero-Carrión B, Millones-Sánchez E, Ticona-Rebagliati DI, Torres-Bravo L. 2012. Actividad antiinflamatoria del extracto etanólico de *Desmodium molliculum* en el modelo murino de asma. **CIMEL** 17: 62 - 67.
- Adeniyi BA, Izuka KC, Odumosu B, Aiyelaagbe OO. 2013. Antibacterial and antifungal activities of methanol extracts of *Desmodium adscendens* root and *Bombax buonopozense* leaves. **Int J Biol Chem Sci** 7: 185 - 194. <https://doi.org/10.4314/ijbcs.v7i1i.15>
- Adinoyi SS. 2020. Assessment of cardiovascular and renal functions during treatment with *Desmodium adscendens* therapy. **J Cardiol Cardiovasc Med** 5: 114 - 120. <https://doi.org/10.29328/journal.jccm.1001097>
- Agbodjento E, Klotoé JR, Sacramento TI, Dougnon V, Tchabi FL, Déguénon E, Atègbo J. 2020. Ethnobotanical knowledge of medicinal plants used in the treatment of male infertility in southern Benin. **Adv Tradit Med (ADTM)**. <https://doi.org/10.1007/s13596-020-00473-3>
- Agyare C, Spiegler V, Asase A, Scholz M, Hempel G, Hensel A. 2018. An ethnopharmacological survey of medicinal plants traditionally used for cancer treatment in the Ashanti region, Ghana. **J Ethnopharmacol** 212: 137 - 152. <https://doi.org/10.1016/j.jep.2017.10.019>
- Ahmed Z, Rahman MS, Alamin GM. 2013. Evaluation of antinociceptive activity of ethanolic extract and other fractions of *Desmodium pulchellum* (Fabaceae) bark in mice. **J Dhaka Int Univ** 5: 126 - 132.
- Al Hasan A, Hasan CM, Azam ATMZ. 2011. Antimicrobial, cytotoxic and antioxidant activities of *Desmodium heterocarpon*. **Bangladesh Pharm J** 14: 49 - 52.
- Alamgeer, Uttra AM, Ahsan H, Hasan UH, Chaudhary MA. 2018. Traditional medicines of plant origin used for the treatment of inflammatory disorders in Pakistan: A review. **J Tradit Chin Med** 38: 636 - 656. [https://doi.org/10.1016/s0254-6272\(18\)30897-5](https://doi.org/10.1016/s0254-6272(18)30897-5)
- Al-Asmari A, Manthiri RA, Abdo N, Al-Duaiji FA, Khan HA. 2017. Saudi medicinal plants for the treatment of scorpion sting envenomation. **Saudi J Biol Sci** 24: 1204 - 1211. <https://doi.org/10.1016/j.sjbs.2016.10.010>
- Al-Asmari AK, Abbasmantiri R, Osman NMA, Al-Asmari BA. 2020. Endangered Saudi Arabian plants having ethnobotanical evidence as antidotes for scorpion envenoming. **Clin Phytosci** 6: 1 - 13. <https://doi.org/10.1186/s40816-020-00196-7>
- Allabi AC, Busia K, Ekanmian V, Bakiono F. 2011. The use of medicinal plants in self-care in the Agonlin region of Benin. **J Ethnopharmacol** 133: 234 - 243. <https://doi.org/10.1016/j.jep.2010.09.028>
- Alli AI, Ehinmidu JO, Ibrahim YKE. 2011. Preliminary phytochemical screening and antimicrobial activities of some medicinal plants used in Ebiraland. **Bajopas** 4: 10 - 16. <https://doi.org/10.4314/bajopas.v4i1.2>
- Alok S, Jain SK, Verma A, Kumar M, Sabharwal M. 2013. Pathophysiology of kidney, gallbladder and urinary stones treatment with herbal and allopathic medicine: A review. **Asian Pac J Trop Dis** 3: 496 - 504. [https://doi.org/10.1016/S2222-1808\(13\)60107-3](https://doi.org/10.1016/S2222-1808(13)60107-3)
- Amber R, Adnan M, Tariq A, Mussarat S. 2017. A review on antiviral activity of the Himalayan medicinal plants traditionally used to treat bronchitis and related symptoms. **J Pharm Pharmacol** 69: 109 - 122. <https://doi.org/10.1111/jphp.12669>
- Amjad MS, Qaeem MF, Ahmad I, Khan SU, Chaudhari SK, Malik NZ, Shaheen H, Khan AM. 2017. Descriptive study of plant resources in the context of the ethnomedicinal relevance of indigenous flora: A case study from Toli Peer National Park, Azad Jammu and Kashmir, Pakistan. **Plos One** 12: 1 - 31. <https://doi.org/10.1371/journal.pone.0171896>
- Amoateng P, Adjei S, Osei-Safo D, Kukuia KKE, Karikari TK, Nyarko AK. 2017. An ethanolic extract of *Desmodium adscendens* exhibits antipsychotic-like activity in mice. **J Basic Clin Physiol Pharmacol** 28: 507 - 518. <https://doi.org/10.1515/jbcpp-2016-0115>
- Antony SA, Sankar JK, Roy PD, Vedpal, Vadivelan R, Elango K, Suresh B. 2010. Antiasthmatic activity of the root of *Desmodium gangeticum* DC. **Adv Pharmacol Toxicol** 11: 9 - 18.
- Apu AS, Bhuyan SH, Prova SS, Muhit A. 2012. Anti-inflammatory activity of medicinal plants native to

- Bangladesh: A review. **J Appl Pharm Sci** 2: 7 - 10.
- Arora K. 2018. Forest management by Andamanese Tribes. In Arora K: Indigenous forest management in the Andaman and Nicobar Islands, India. Ed. Springer Cham, Heidelberg, Germany.
https://doi.org/10.1007/978-3-030-00033-2_2
- Atawodi SEO, Olowuniyi OD, Obari MA, Ogaba I. 2014. Ethnomedical survey of Adavi and Ajaokuta local government areas of Ebiraland, Kogi State, Nigeria. **Annu Res Rev Biol** 4: 4344 - 4360.
<https://doi.org/10.9734/ARRB/2014/8658>
- Aung HT, Sein MM, Aye MM, Thu ZM. 2016. A Review of traditional medicinal plants from Kachin State, Northern Myanmar. **Nat Prod Commun** 11: 353 - 364. <https://doi.org/10.1177/1934578x1601100310>
- Awan MR, Iqbal Z, Shah SM, Jamal Z, Jan G, Afzal M, Majid A, Gul A. 2011. Studies on traditional knowledge of economically important plants of Kaghan Valley, Mansehra District, Pakistan. **J Med Plants Res** 5: 3958 - 3967. <https://doi.org/10.5897/JMPR.9001160>
- Ayoola GA, Eze SO, Johnson OO, Adeyemi DK. 2018. Phytochemical screening, antioxidant, antiulcer and toxicity studies on *Desmodium adscendens* (Sw) DC Fabaceae leaf and stem. **Trop J Pharm Res** 17: 1301 - 1307. <https://doi.org/10.4314/tjpr.v17i7.11>
- Aziz MA, Khan AH, Adnan M, Izatullah I. 2017. Traditional uses of medicinal plants reported by the indigenous communities and local herbal practitioners of Bajaur Agency, Federally Administrated Tribal Areas, Pakistan. **J Ethnopharmacol** 198: 268 - 281. <https://doi.org/10.1016/j.jep.2017.01.024>
- Bahtiar A, Vichitphan K, Han J. 2017. Leguminous plants in the Indonesian archipelago: Traditional uses and secondary metabolites. **Nat Prod Commun** 12: 461 - 472. <https://doi.org/10.1177/1934578X1701200338>
- Baiocchi C, Medana C, Giancotti V, Aigotti R, Dal Bello F, Massolino C, Gastaldi D, Grandi M. 2013. Qualitative characterization of *Desmodium adscendens* constituents by high-performance liquid chromatography-diode array ultraviolet-electrospray ionization multistage mass spectrometry. **Eur J Mass Spectrom** 19: 1 - 15.
<https://doi.org/10.1255/ejms.1214>
- Barreto Yaya DA. 2018. Efecto de los metabolitos secundarios de *Desmodium molliculum* ('manayupa') sobre el nivel de colesterol en ratas con hipercolesterolemia inducida. Thesis, Universidad Nacional Mayor de San Marcos, Lima, Perú.
- Basheer VPH, Satish S. 2018. Anti-inflammatory activity of ethanolic extract of *Desmodium gangeticum* Barks in rats. **Int J Pharm Chem Sci** 7: 1 - 2.
- Bhanisana Devi RK, Nandakumar Sarma H, Kumar S. 2015. Investigation on trace and major elements in anti-asthmatic medicinal plants by PIXE and PIGE techniques. **Nucl Instrum Methods Phys Res B** 343: 163 - 166. <https://doi.org/10.1016/j.nimb.2014.11.077>
- Bhat JA, Kumar M, Bussmann RW. 2013. Ecological status and traditional knowledge of medicinal plants in Kedarnath Wildlife Sanctuary of Garhwal Himalaya, India. **J Ethnobiol Ethnomed** 9: 1.
<https://doi.org/10.1186/1746-4269-9-1>
- Bhosle V. 2011. Evaluation of the anticonvulsant activity of the ethanol and aqueous extracts of *Desmodium triflorum* DC in mice. Thesis, Rajiv Gandhi University of Health Sciences, India.
- Bhosle V. 2013. Anticonvulsant and antioxidant activity of aqueous leaves extract of *Desmodium triflorum* in mice against pentylenetetrazole and maximal electroshock induced convulsion. **Braz J Pharmacogn** 23: 692 - 698. <https://doi.org/10.1590/S0102-695X2013005000047>
- Bhuyan B, Rajak P. 2019. Natural beverages of Assam and its ethno medicinal value. In Grumezescu AM, Holban AM. Natural beverages. Ed. Academic Press, New York, USA.
<https://doi.org/10.1016/B978-0-12-816689-5.00003-1>
- Bian L, Cao S, Cheng L, Nakazaki A, Nishikawa T, Qi J. 2018. Semi-synthesis and structure-activity relationship of neurotogenic oleanene derivatives. **ChemMedChem** 13: 1972 - 1977.
<https://doi.org/10.1002/cmdc.201800352>
- Bieski IGC, Leonti M, Arnason JT, Ferrier J, Rapinski M, Violante IMP, Balogun SO, Pereira JFCA, Figueiredo RDCF, Lopes CRAS, da Silva DR, Pacini A, Albuquerque UP, Martins DTDO. 2015. Ethnobotanical study of medicinal plants by population of Valley of Juruena Region, Legal Amazon, Mato Grosso, Brazil. **J Ethnopharmacol** 173: 383 - 423. <https://doi.org/10.1016/j.jep.2015.07.025>
- Bisht R, Bhattacharya S, Jaliwala YA. 2014. COX and LOX inhibitory potential of *Abroma augusta* and *Desmodium gangeticum*. **J Phytopharmacol** 3: 168 - 175.
- Bolson M, Hefler SM, Dall'Oglio Chaves EI, Gasparotto Junior A, Cardozo Junior EL. 2015. Ethno-medicinal

- study of plants used for treatment of human ailments, with residents of the surrounding region of forest fragments of Paraná, Brazil. **J Ethnopharmacol** 161: 1 - 10. <https://doi.org/10.1016/j.jep.2014.11.045>
- Bonilla JA, Santa Maria AM, Toloza G, Espinoza Madrid P, Avalos JN, Nuñez MJ, Moreno M. 2014. Efecto sedante, ansiolítico y toxicológico del extracto acuoso de flores de *Erythrina berteroana* (pito) en ratones. **Rev Cub Plant Med** 19: 383 - 398.
- Bunalema L, Obakiro S, Tabuti JRS, Waako P. 2014. Knowledge on plants used traditionally in the treatment of tuberculosis in Uganda. **J Ethnopharmacol** 151: 999 - 1004. <https://doi.org/10.1016/j.jep.2013.12.020>
- Bussmann RW, Glenn A. 2010. Medicinal plants used in Northern Peru for reproductive problems and female health. **J Ethnobiol Ethnomed** 6: 30. <https://doi.org/10.1186/1746-4269-6-30>
- Bussmann RW, Glenn A, Sharon D. 2010. Antibacterial activity of medicinal plants of Northern Peru – can traditional applications provide leads for modern science? **Indian J Tradit Know** 9: 742 - 753.
- Butt MA, Ahmad M, Fatima A, Sultana S, Zafar M, Yaseen G, Ashraf MA, Shinwari ZK, Kayani S. 2015. Ethnomedicinal uses of plants for the treatment of snake and scorpion bite in Northern Pakistan. **J Ethnopharmacol** 168: 164 - 181. <https://doi.org/10.1016/j.jep.2015.03.045>
- Cancho S. 2018. **Efecto diurético del extracto hidroalcohólico de las hojas de *Desmodium molliculum* (HBK) DC. “manayupa” en Cobayos. Ayacucho 2017**. Thesis, Universidad Nacional de San Cristóbal de Huamanga, Perú.
- Carraz M, Lavergne C, Jullian V, Wright M, Gairin JE, Gonzales de la Cruz M, Bourdy G. 2015. Antiproliferative activity and phenotypic modification induced by selected Peruvian medicinal plants on human hepatocellular carcinoma Hep3B cells. **J Ethnopharmacol** 166: 185 - 199. <https://doi.org/10.1016/j.jep.2015.02.028>
- Castañeda R, Gutiérrez H, Carrillo É, Sotelo A. 2017. Leguminosas (Fabaceae) silvestres de uso medicinal del distrito de Lircay, provincia de Angaraes (Huancavelica, Perú). **Bol Latinoam Caribe Plant Med Aromat** 16: 136 - 149.
- Castañeda RE. 2020. **Estudio comparativo del efecto cicatrizante de gel a base de *Desmodium molliculum* (pie de perro) al 4%, 8% y 12% en herida inducida de mucosa palatina en *Oryctolagus cuniculus* (conejo), Trujillo- 2018**. Thesis, Universidad Católica Los Ángeles de Chimbote, Perú.
- Catarino L, Havik PJ, Romeiras MM. 2016. Medicinal plants of Guinea-Bissau: Therapeutic applications, ethnic diversity and knowledge transfer. **J Ethnopharmacol** 183: 71 - 94. <https://doi.org/10.1016/j.jep.2016.02.032>
- Chander MP, Kartick C, Gangadhar J, Vijayachari P. 2014. Ethno medicine and healthcare practices among Nicobarese of Car Nicobar – An indigenous tribe of Andaman and Nicobar Islands. **J Ethnopharmacol** 158: 18 - 24. <https://doi.org/10.1016/j.jep.2014.09.046>
- Changdar N, Ganjhu RK, Rijal S, Kumar A, Mallik SB, Nampoothiri M, Shenoy RR, Sonawane KB, Rao MC, Mudgal J. 2019. Exploring the potential of *Desmodium gangeticum* (L.) DC. extract against spatial memory deficit in rats. **Phcog Mag** 15: 78 - 83. https://doi.org/10.4103/pm.pm_501_18
- Charles MC, Oleba OE, Obeten KE, Obono ES. 2016. Antinociceptive properties of *Desmodium adscendens* in mice. **Saudi J Med Pharm Sci** 2: 79 - 85.
- Chen L, Tang X, Yang Q, Cheng X. 2020. Quantitative and chemical fingerprint analysis of *Desmodium styracifolium* by high-performance liquid chromatography combined with chemometrics. **J Chromatogr Sci** 58: 294 - 302. <https://doi.org/10.1093/chromsci/bmz112>
- Cheng L, Muroi M, Cao S, Bian L, Osada H, Xiang L, Qi J. 2019. 3 β ,23,28-trihydroxy-12-oleanene 3 β -caffeate from *Desmodium sambuense*-induced neurogenesis in PC12 cells mediated by ER stress and BDNF-TrkB signaling pathways. **Mol Pharm** 16: 1423 - 1432. <https://doi.org/10.1021/acs.molpharmaceut.8b00939>
- Cheng X, Guo C, Yang Q, Tang X, Zhang C. 2017. Isolation and identification of radical scavenging components of seeds of *Desmodium styracifolium*. **Chem Nat Compd** 53: 36 - 39. <https://doi.org/10.1007/s10600-017-1905-7>
- Cheng X, Tang X, Guo C, Zhang C, Yang Q. 2018. New flavonol glycosides from the seeds of *Desmodium styracifolium*. **Chem Nat Compd** 54: 846 - 850. <https://doi.org/10.1007/s10600-018-2496-7>
- Chien YY, Tan CM, Kung YC, Lee YC, Chiu YC, Yang JY. 2020. Threeflower tickclover (*Desmodium triflorum*) is a new host for peanut witches' broom phytoplasma, a 16SrII-V subgroup strain, in Taiwan. **Plant Dis** <https://doi.org/10.1094/PDIS-06-20-1303-PDN>
- Chinenye NC, Nkechi NF, Innocent O, Adaoma O, Nnenna E, Precious E, Onyinyechi NR. 2018. Effect of

- Desmodium velutinum* stem bark methanolic extract on some antioxidant enzymes and vitamins in acetaminophen-intoxicated rats. **Res J Med Plants** 12: 33 - 40. <https://doi.org/10.3923/rjmp.2018.33.40>
- Chinsebu KC. 2015. Plants as antimalarial agents in Sub-Saharan Africa. **Acta Trop** 152: 32 - 48. <https://doi.org/10.1016/j.actatropica.2015.08.009>
- Chitra Devi B, Narmathabai V. 2011. Somatic embryogenesis in the medicinal legume *Desmodium motorium* (Houtt.) Merr. **Plant Cell Tiss Organ Cult** 106: 409 - 418. <https://doi.org/10.1007/s11240-011-9937-3>
- Chowdhury A, Pal TK, Alam MA, Rahaman MS, Rashid MA. 2013. Antioxidant, antimicrobial and cytotoxic activities of *Desmodium motorium* Merr. **J Sci Res** 5: 201 - 205. <https://doi.org/10.3329/jsr.v5i1.10955>
- Chuisseu PDD, Galani BRT, Younang NCK, Kouam AF, Simo BFN, Tchana AN, Seron K, Dubuisson J, Tiegs G, Kouamouo J, Moundipa PF. 2020. Aqueous extracts of *Desmodium adscendens* (Fabaceae) possess *in vitro* antioxidant properties and protect hepatocytes from Carbon tetrachloride-induced injury and Hepatitis C virus infection. **Invest Med Chem Pharmacol** 3: 36. <https://doi.org/10.31183/imcp.2020.00036>
- Das A, Dan VM, Varughese G, Varma A. 2014. **Roots of medicinal importance**. In Morte A, Varma A. Root engineering. Ed. Springer-Verlag Berlin Heidelberg, Heidelberg, Germany. https://doi.org/10.1007/978-3-642-54276-3_21
- Dat NT, Luyen NT, Dang NH. 2015. Phenolic glucosides from the leaves of *Desmodium gangeticum* (L.) DC. **Vietnam J Chem** 53: 69 - 72. <https://doi.org/10.15625/0866-7144.2015-2e-016>
- de Almeida Chaves DS, de Melo GO, Corrêa MFP. 2019. **A review of recent patents regarding antithrombotic drugs derived from natural products**. In Atta-ur-Rahman: Studies in natural products chemistry. Ed. Elsevier, Amsterdam, Netherlands. <https://doi.org/10.1016/B978-0-444-64183-0.00001-4>
- de Morais CB, Scopel M, Pedrazza GPR, da Silva FK, Dalla Lana DF, Tonello ML, Miotto STS, Machado MM, De Oliveira LFS, Fuentesfria AM, Zuanazzi JAS. 2017. Anti-dermatophyte activity of Leguminosae plants from Southern Brazil with emphasis on *Mimosa pigra* (Leguminosae). **J Mycol Med** 27: 530 - 538. <https://doi.org/10.1016/j.mycmed.2017.07.006>
- Dey A, De JN. 2012. Ethnobotanical survey of Purulia district, West Bengal, India for medicinal plants used against gastrointestinal disorders. **J Ethnopharmacol** 143: 68 - 80. <https://doi.org/10.1016/j.jep.2012.05.064>
- Dharmadasa RM, Akalanka GC, Muthukumarana PRM, Wijesekara RGS. 2016. Ethnopharmacological survey on medicinal plants used in snakebite treatments in Western and Sabaragamuwa provinces in Sri Lanka. **J Ethnopharmacol** 179: 110 - 127. <https://doi.org/10.1016/j.jep.2015.12.041>
- Diallo A, Traore MS, Keita SM, Balde MA, Keita A, Camara M, Miert SV, Pieters L, Balde AM. 2012. Management of diabetes in Guinean traditional medicine: An ethnobotanical investigation in the coastal lowlands. **J Ethnopharmacol** 144: 353 - 361. <https://doi.org/10.1016/j.jep.2012.09.020>
- Dutt HC, Bhagat N, Pandita S. 2015. Oral traditional knowledge on medicinal plants in jeopardy among Gaddi shepherds in hills of northwestern Himalaya, J&K, India. **J Ethnopharmacol** 168: 337 - 348. <https://doi.org/10.1016/j.jep.2015.03.076>
- Ebana RUB, Edet UO, Ekanemesang UM, Etok CA, Ikon GM, Noble MK. 2016. Phytochemical screening and antimicrobial activity of three medicinal plants against urinary tract infection pathogens. **Asian J Med Health** 1: 1 - 7. <https://doi.org/10.9734/AJMAH/2016/29460>
- Ezealigo US. 2016. **Antioxidant activity, total phenolic and flavonoid contents of whole plant methanol extract and solvent fractions of *Desmodium ramosissimum* G. Don**. Thesis, University of Nigeria, Nigeria.
- Eze-Steven PE, Udeozo IP, Emmanuel O, Farida O. 2014. The effects of ethanol extract of *Desmodium velutinum* stem on liver markers of albino wistar rats fed with high fat diet. **World Appl Sci J** 31: 1684 - 1688. <https://doi.org/10.5829/idosi.wasj.2014.31.10.83260>
- Eze-Steven PE, Ude CM. 2019. Preliminary phytochemical and lipoprotein studies of *Desmodium velutinum* aqueous leaves extract on albino wistar rats. **Cross Current Int J Med Biosci** 1: 1 - 5.
- Fahim Kadir M, Bin Sayeed MS, Setu NI, Mostafa A, Mia MMK. 2014. Ethnopharmacological survey of medicinal plants used by traditional health practitioners in Thanchi, Bandarban Hill Tracts, Bangladesh. **J Ethnopharmacol** 155: 495 - 508. <https://doi.org/10.1016/j.jep.2014.05.043>
- Farhadi F, Khameneh B, Iranshahi M, Iranshahy M. 2019. Antibacterial activity of flavonoids and their structure-activity relationship: An update review. **Phyther Res** 33: 13 - 40. <https://doi.org/10.1002/ptr.6208>
- Ferrier J, Saleem A, Carter Ramirez A, Liu R, Chen E, Pesek T, Cal V, Balick M, Arnason JT. 2018. Traditional

- medicines used by Q'eqchi' Maya to treat diabetic symptoms and their antiglycation potential. **J Ethnopharmacol** 224: 504 - 511. <https://doi.org/10.1016/j.jep.2018.06.031>
- Fomogne-Fodjo MCY, Van Vuuren S, Ndinteh DT, Krause RWM, Olivier DK. 2014. Antibacterial activities of plants from Central Africa used traditionally by the Bakola pygmies for treating respiratory and tuberculosis-related symptoms. **J Ethnopharmacol** 155: 123 - 131. <https://doi.org/10.1016/j.jep.2014.04.032>
- François C, Fares M, Baiocchi C, Maixent JM. 2015. Safety of *Desmodium adscendens* extract on hepatocytes and renal cells. Protective effect against oxidative stress. **J Intercult Ethnopharmacol** 4: 1 - 5. <https://doi.org/10.5455/jice.20141013041312>
- Frazão-Moreira A. 2016. The symbolic efficacy of medicinal plants: Practices, knowledge, and religious beliefs amongst the Nalu healers of Guinea-Bissau. **J Ethnobiol Ethnomed** 12: 24. <https://doi.org/10.1186/s13002-016-0095-x>
- Fred AC, Felix OA, Theophilus O, Chinwe A. 2012. Antipyretic and phytochemical evaluation of the ethanol extract of the leaves of *Desmodium velutinum*. **Asian J Pharm Life Sci** 2: 135 - 143.
- Gachet MS, Lecaro JS, Kaiser M, Brun R, Navarrete H, Muñoz RA, Bauer R, Schühly W. 2010. Assessment of anti-protozoal activity of plants traditionally used in Ecuador in the treatment of leishmaniasis. **J Ethnopharmacol** 128: 184 - 197. <https://doi.org/10.1016/j.jep.2010.01.007>
- Gairola S, Sharma J, Bedi YS. 2014. A cross-cultural analysis of Jammu, Kashmir and Ladakh (India) medicinal plant use. **J Ethnopharmacol** 155: 925 - 986. <https://doi.org/10.1016/j.jep.2014.06.029>
- Galvez MAC. 2015. Evaluation of DPPH free radical scavenging activity and phytochemical screening of selected folkloric medicinal plants in Tinoc, Ifugao, Cordillera Administrative Region, Philippines. **Int J Scient Res Pub** 5: 440 - 445.
- Gao L, Wei N, Yang G, Zhang Z, Liu G, Cai C. 2019. Ethnomedicine study on traditional medicinal plants in the Wuliang Mountains of Jingdong, Yunnan, China. **J Ethnobiol Ethnomed** 15: 41. <https://doi.org/10.1186/s13002-019-0316-1>
- Gavalapu VR, Kolli P, Korra SK, Kavuri MK, Avagadda C, Singam V, Vanumu Y, Kudirella H. 2013. Preliminary phytochemical screening and anthelmintic activity of *Desmodium triflorum* (L.) DC leaf and root extracts. **Int J Pharma Sci** 3: 156 - 158.
- Giang Phan M, Son Phan T, Matsunami K, Otsuka H. 2010. Flavonoid compounds from *Desmodium styracifolium* of Vietnamese origin. **Chem Nat Compd** 46: 797 - 798. <https://doi.org/10.1007/s10600-010-9746-7>
- Giovannini P, Howes MJR, Edwards SE. 2016. Medicinal plants used in the traditional management of diabetes and its sequelae in Central America: A review. **J Ethnopharmacol** 184: 58 - 71. <https://doi.org/10.1016/j.jep.2016.02.034>
- Giovannini P, Howes MJR. 2017. Medicinal plants used to treat snakebite in Central America: Review and assessment of scientific evidence. **J Ethnopharmacol** 199: 240 - 256. <https://doi.org/10.1016/j.jep.2017.02.011>
- Gogoi B, Zaman K. 2013. Phytochemical constituents of some medicinal plant species used in Recipe during “Bohag Bihu” in Assam. **J Pharmacogn Phytochem** 2: 30 - 40.
- Gonzales de la Cruz M, Baldeón Malpartida S, Beltrán Santiago H, Jullian V, Bourdy G. 2014. Hot and cold: Medicinal plant uses in Quechua speaking communities in the high Andes (Callejón de Huaylas, Ancash, Perú). **J Ethnopharmacol** 155: 1093 - 1117. <https://doi.org/10.1016/j.jep.2014.06.042>
- Gordillo G, Bonilla P, Zúñiga H, Parreño J, Guerra G, Hernández L, Solano G. 2019. Efecto protector del *Desmodium molliculum* EAM (Manayupa) en ratas con toxicidad hepática inducida por naproxeno. **Rev Peru Med Integrativa** 4: 76 - 82.
- Gowda G, Bhosle V, Einstein JW, Das K, Mathai B. 2012. Evaluation of anticonvulsant activity of ethanolic leaves extract of *Desmodium triflorum* in mice. **Braz J Pharmacogn** 22: 649 - 656. <https://doi.org/10.1590/S0102-695X2012005000019>
- Granda NG. 2015. **Actividad alexitéra de los extractos de *Costus pulverulentus* C. Presl *Desmodium adscendens* (Sw.) DC., *Begonia glabra* Aubl., sobre el veneno de *Bothrops asper* (Equis)**. Thesis, Universidad Politécnica Salesiana, Quito, Ecuador.
- Guo J, Feng X, Zhou S, Yan W, Meng D. 2016. Potential anti-Alzheimer's disease activities of the roots of *Desmodium caudatum*. **Ind Crops Prod** 90: 94 - 99. <https://doi.org/10.1016/j.indcrop.2016.06.018>
- Gurrapu S, Mamidala E. 2017. Medicinal plants used by traditional medicine practitioners in the management of

- HIV/AIDS-related diseases in tribal areas of Adilabad District, Telangana Region. **Am J Sci Med Res** 3: 1 - 7. <https://doi.org/10.17812/ajsmr3301>
- Ha LM, Luyen NT, Phuong NT, Huyen DTT, Huong LM, Quan PM, Hiep NT, Dat NT. 2018a. Isoflavonoids from *Desmodium heterophyllum* aerial parts. **Nat Prod Commun** 13: 699 - 700. <https://doi.org/10.1177/1934578X1801300612>
- Ha LM, Phuong NT, Hung LN, Ha VTH, Anh BK, Long PQ. 2018b. Some glycosides isolated from *Desmodium gangeticum* (L.) DC. of Vietnam. **Vietnam J Sci Technol** 56: 99 - 103. <https://doi.org/10.15625/2525-2518/56/2A/12635>
- Haq F, Ahmad H, Alam M. 2011. Traditional uses of medicinal plants of Nandiar Khuwarr catchment (District Battagram), Pakistan. **J Med Plants Res** 5: 39 - 48. <https://doi.org/10.5897/JMPR.9001268>
- Hasmukhlal TJ, Das SD, Amrutlal PC, Kantilal JG. 2016. Evaluation of antimutagenic potential of *Lagenaria siceraria*, *Desmodium gangeticum* and *Leucas aspera*. **PTB Reports** 2: 56 - 60. <https://doi.org/10.5530/PTB.2016.2.9>
- Hassan MM, Khan SA, Shaikat AH, Hossain ME, Hoque MA, Ullah MH, Islam S. 2013. Analgesic and anti-inflammatory effects of ethanol extracted leaves of selected medicinal plants in animal model. **Vet World** 6: 68 - 71. <https://doi.org/10.5455/vetworld.2013.68-71>
- Hemlal H, Ravi S. 2012. GC-MS, HPTLC and antimicrobial analysis of root extracts of *Pseudarthria viscida* Wight and Arn and *Desmodium gangeticum* (Linn) DC. **Int Res J Biological Sci** 1: 57 - 65.
- Hitler D, Arumugam P, Narayanasamy M, Vellaichamy E. 2014. *Desmodium gangeticum* root extract attenuates isoproterenol-induced cardiac hypertrophic growth in rats. **J Pharm Pharmacogn Res** 2: 129 - 137.
- Hong L, Guo Z, Huang K, Wei S, Liu B, Meng S, Long C. 2015. Ethnobotanical study on medicinal plants used by Maonan people in China. **J Ethnobiol Ethnomed** 11: 32. <https://doi.org/10.1186/s13002-015-0019-1>
- Hou J, Chen W, Lu H, Zhao H, Gao S, Liu W, Dong X, Guo Z. 2018. Exploring the therapeutic mechanism of *Desmodium styracifolium* on oxalate crystal-induced kidney injuries using comprehensive approaches based on proteomics and network pharmacology. **Front Pharmacol** 9: 620. <https://doi.org/10.3389/fphar.2018.00620>
- Hu R, Lin C, Xu W, Liu Y, Long C. 2020. Ethnobotanical study on medicinal plants used by Mulam people in Guangxi, China. **J Ethnobiol Ethnomed** 16: 40. <https://doi.org/10.1186/s13002-020-00387-z>
- Hu Y. 2012. Pay attention to the study on active antiliver fibrosis components of Chinese herbal medicine. **Chin J Integr Med** 18: 563 - 564. <https://doi.org/10.1007/s11655-012-1029-7>
- Hussain S, Hamid A, Ahmad KS, Mehmood A, Nawaz F, Ahmed H. 2019. Quantitative ethnopharmacological profiling of medicinal shrubs used by indigenous communities of Rawalakot, District Poonch, Azad Jammu and Kashmir, Pakistan. **Rev Bras Farmacogn** 29: 665 - 676. <https://doi.org/10.1016/j.bjp.2019.06.008>
- Irié-N'guessan G, Champy P, Kouakou-Siransy G, Koffi A, Kablan BJ, Leblais V. 2011. Tracheal relaxation of five Ivorian anti-asthmatic plants: Role of epithelium and K⁺ channels in the effect of the aqueous-alcoholic extract of *Dichrostachys cinerea* root bark. **J Ethnopharmacol** 138: 432 - 438. <https://doi.org/10.1016/j.jep.2011.09.016>
- Jahan FI, Hossain MS, Mamun AA, Hossain T, Seraj S, Chowdhury AR, Khatun Z, Andhi NZ, Chowdhury MH, Rahmatullah M. 2010. An evaluation of antinociceptive effect of methanol extracts of *Desmodium gangeticum* (L.) Dc. stems and *Benincasa hispida* (Thunb.) Cogn. leaves on acetic acid-induced gastric pain in mice. **Adv Nat Appl Sci** 4: 365 - 369.
- Jain V, Prasad V, Pandey RS. 2010. Wound healing activity of *Desmodium gangeticum* in different wound models. **J Plant Sci** 5: 328 - 334. <https://doi.org/10.3923/jps.2006.247.253>
- Jamuna KS, Banu S, Brindha P, Kurian GA. 2014. Nano-scale preparation of Titanium dioxide by *Desmodium gangeticum* root aqueous extract. **Ceram Int** 40: 11933 - 11940. <https://doi.org/10.1016/j.ceramint.2014.04.029>
- Jayadevaiah KV, Ishwar BK, Joshi AB, Vijaykumar MMJ, Rawal P. 2012. Hepatoprotective activity of *Desmodium oojeinense* (Roxb.) H. Ohashi against paracetamol induced hepatotoxicity. **Asian J Pharm Health Sci** 2: 312 - 315.
- Jayaseelan RS, Vijayan FP, Brindha, Suresh V, Padikkala J. 2013. Evaluation of the anti-inflammatory activity of *Desmodium triangulare* (Retz.) Merr. root. **Int J Pharm Teach Pract** 4: 858 - 862.
- Jeyaprakash K, Ayyanar M, Geetha KN, Sekar T. 2011. Traditional uses of medicinal plants among the tribal people in Theni District (Western Ghats), Southern India. **Asian Pac J Trop Biomed** 1: 20 - 25.

[https://doi.org/10.1016/s2221-1691\(11\)60115-9](https://doi.org/10.1016/s2221-1691(11)60115-9)

- Joshi B, Tyagi V. 2011. Traditional knowledge and utilization of medicinal plants of Himalayan region. **Nat Sci** 9: 1 - 6.
- Joshi H, Charan CS, Alkanad MA. 2018. Neuroprotective potentials of ayurvedic rasayana *Desmodium triquetrum* on brain aging and chemically induced amnesia in animal models relevant to dementia. **J Tradit Med Clin Nat** 7: 272. <https://doi.org/10.4172/2573-4555.1000272>
- Kalirajan A, Savarimuthu Michael J, Ranjit Singh AJA. 2012. A preliminary screening of the medicinal plant *Desmodium gyrans* (Linn.F) Dc for its antimicrobial, phytochemical and wound healing properties. **Int J Pharm Sci Res** 3: 1726 - 1730. [https://doi.org/10.13040/IJPSR.0975-8232.3\(6\).1726-30](https://doi.org/10.13040/IJPSR.0975-8232.3(6).1726-30)
- Kalyani GA, Ashok P, Taranalli AD, Ramesh CK, Krishna V, Swamy AHMV. 2011a. Anti-inflammatory and *in vitro* antioxidant activity of *Desmodium triquetrum* (L.). **Indian J Pharmacol** 43: 740 - 741. <https://doi.org/10.4103/0253-7613.89844>
- Kalyani GA, Ramesh CK, Krishna V. 2011b. Hepatoprotective and antioxidant activities of *Desmodium triquetrum* DC. **Indian J Pharm Sci** 73: 463 - 466. <https://doi.org/10.4103/0250-474X.95652>
- Karthikeyan K, Selvam GS, Srinivasan R, Chandran C, Kulothungan S. 2012. *In vitro* antibacterial activity of *Desmodium gangeticum* (L.) DG. **Asian Pac J Trop Dis** 2: 421 - 424. [https://doi.org/10.1016/S2222-1808\(12\)60195-9](https://doi.org/10.1016/S2222-1808(12)60195-9)
- Kasote DM, Jagtap SD, Thapa D, Khyade MS, Russell WR. 2017. Herbal remedies for urinary stones used in India and China: A review. **J Ethnopharmacol** 203: 55 - 68. <https://doi.org/10.1016/j.jep.2017.03.038>
- Kayani S, Ahmad M, Zafar M, Sultana S, Khan MPZ, Ashraf MA, Hussain J, Yaseen G. 2014. Ethnobotanical uses of medicinal plants for respiratory disorders among the inhabitants of Gallies – Abbottabad, Northern Pakistan. **J Ethnopharmacol** 156: 47 - 60. <https://doi.org/10.1016/j.jep.2014.08.005>
- Khan A, Usman R, Rauf A, Wang ML, Muhammad N, Aman A, Tahir THM. 2013. *In vitro* biological screening of the stem of *Desmodium elegans*. **Asian Pac J Trop Biomed** 3: 711 - 715. [https://doi.org/10.1016/S2221-1691\(13\)60143-4](https://doi.org/10.1016/S2221-1691(13)60143-4)
- Khuankaew S, Srithi K, Tiansawat P, Jampeetong A, Inta A, Wangpakapattanawong P. 2014. Ethnobotanical study of medicinal plants used by Tai Yai in Northern Thailand. **J Ethnopharmacol** 151: 829 - 838. <https://doi.org/10.1016/j.jep.2013.11.033>
- Konan KM, Mamyrbékova-Békro JA, Békro YA. 2012. Quantification of total phenols and flavonoids of *Desmodium adscendens* (Sw.) DC. (Papilionaceae) and projection of their antioxidant capacity. **J Appl Biosci** 49: 3355 - 3362.
- Kumar A, Pandey VC, Singh AG, Tewari DD. 2013. Traditional uses of medicinal plants for dermatological healthcare management practices by the Tharu tribal community of Uttar Pradesh, India. **Genet Resour Crop Evol** 60: 203 - 224. <https://doi.org/10.1007/s10722-012-9826-6>
- Kumar D, Kumar A, Prakash O. 2012. Potential antifertility agents from plants: A comprehensive review. **J Ethnopharmacol** 140: 1 - 32. <https://doi.org/10.1016/j.jep.2011.12.039>
- Kurian GA, Srivats RSS, Gomathi R, Shabi MM, Paddikkala J. 2010a. Interpretation of inotropic effect exhibited by *Desmodium gangeticum* chloroform root extract through GSMS and atomic mass spectroscopy: Evaluation of its anti ischemia reperfusion property in isolated rat heart. **Asian J Biochem** 5: 23 - 32. <https://doi.org/10.3923/ajb.2010.23.32>
- Kurian GA, Suryanarayanan S, Raman A, Padikkala J. 2010b. Antioxidant effects of ethyl acetate extract of *Desmodium gangeticum* root on myocardial ischemia reperfusion injury in rat hearts. **Chin Med** 5: 3. <https://doi.org/10.1186/1749-8546-5-3>
- Kurian GA, Paddikkala J. 2012. Methanol extract of *Desmodium gangeticum* DC root mimetic post-conditioning effect in isolated perfused rat heart by stimulating muscarinic receptors. **Asian Pac J Trop Med** 5: 448 - 454. [https://doi.org/10.1016/S1995-7645\(12\)60076-5](https://doi.org/10.1016/S1995-7645(12)60076-5)
- Lagudu MN, Owk AK. 2016. Antimicrobial activity and phytochemicals constituents of *Desmodium gangeticum* leaves. **Int Res J Agric Food Sci** 1: 44 - 52.
- Lai SC, Ho YL, Huang SC, Huang TH, Lai ZR, Wu CR, Lian KY, Chang YS. 2010. Antioxidant and antiproliferative activities of *Desmodium triflorum* (L.) DC. **Am J Chin Med** 38: 329 - 342. <https://doi.org/10.1142/S0192415X10007889>
- Lakkakula JR, Ndinteh DT, van Vuuren SF, Olivier DK, Krause RWM. 2017. Synthesis of silver nanoparticles from a *Desmodium adscendens* extract and its antibacterial evaluation on wound dressing material. **IET**

- Nanobiotechnol 11: 1017 - 1026. <https://doi.org/10.1049/iet-nbt.2017.0084>
- Landeta JE. 2015. **Evaluación de la actividad antibacteriana de *Desmodium molliculum* (Kunth) DC. Treinta Reales, utilizando un modelo *in vivo***. Thesis, Universidad Central del Ecuador, Ecuador.
- Lautenschläger T, Monizi M, Pedro M, Mandombe JL, Bránquima MF, Heinze C, Neinhuis C. 2018. First large-scale ethnobotanical survey in the province of Uíge, northern Angola. **J Ethnobiol Ethnomed** 14: 51. <https://doi.org/10.1186/s13002-018-0238-3>
- Lee YH, Choo C, Watawana MI, Jayawardena N, Waisundara VY. 2015. An appraisal of eighteen commonly consumed edible plants as functional food based on their antioxidant and starch hydrolase inhibitory activities. **J Sci Food Agric** 95: 2956 - 2964. <https://doi.org/10.1002/jsfa.7039>
- Li DL, Xing FW. 2016. Ethnobotanical study on medicinal plants used by local Hoklos people on Hainan Island, China. **J Ethnopharmacol** 194: 358 - 368. <https://doi.org/10.1016/j.jep.2016.07.050>
- Li DL, Zheng XL, Duan L, Deng SW, Ye W, Wang AH, Xing FW. 2017a. Ethnobotanical survey of herbal tea plants from the traditional markets in Chaoshan, China. **J Ethnopharmacol** 205: 195 - 206. <https://doi.org/10.1016/j.jep.2017.02.040>
- Li J, Lin X, Tang G, Li R, Wang D, Ji S. 2019. Pharmacognostical study of *Desmodium caudatum*. **An Acad Bras Cienc** 91: e20180637. <https://doi.org/10.1590/0001-3765201920180637>
- Li W, Sun YN, Yan XT, Yang SY, Kim S, Chae D, Hyun JW, Kang HK, Koh YS, Kim YH. 2014a. Anti-inflammatory and antioxidant activities of phenolic compounds from *Desmodium caudatum* leaves and stems. **Arch Pharm Res** 37: 721 - 727. <https://doi.org/10.1007/s12272-013-0241-0>
- Li YP, Hu QF, Rao GX. 2017b. Three new C-alkylated flavonoids from *Desmodium oblongum*. **J Asian Nat Prod Res** 19: 954 - 959. <https://doi.org/10.1080/10286020.2017.1285910>
- Li YP, Li YK, Du G, Yang HY, Gao XM, Hu QF. 2014b. Isoflavanones from *Desmodium oxyphyllum* and their cytotoxicity. **J Asian Nat Prod Res** 16: 735 - 740. <https://doi.org/10.1080/10286020.2014.906406>
- Li YP, Yang YC, Li YK, Jiang ZY, Huang XZ, Wang WG, Gao XM, Hu QF. 2014c. Five new prenylated chalcones from *Desmodium renifolium*. **Fitoterapia** 95: 214 - 219. <https://doi.org/10.1016/j.fitote.2014.03.026>
- Lingaraju DP, Sudarshana MS, Rajashekar N. 2013. Ethnopharmacological survey of traditional medicinal plants in tribal areas of Kodagu district, Karnataka, India. **J Pharm Res** 6: 284 - 297. <https://doi.org/10.1016/j.jopr.2013.02.012>
- Liu L, Chen M, Chen X. 2015. Analysis of alcohol dehydrogenase inhibitors from *Desmodium styracifolium* using centrifugal ultrafiltration coupled with HPLC-MS. **J Serb Chem Soc** 80: 1051 - 1059. <https://doi.org/10.2298/JSC140919023L>
- Liu M, Liu C, Chen H, Huang X, Zeng X, Zhou J, Mi S. 2017. Prevention of cholesterol gallstone disease by schaftoside in lithogenic diet-induced C57BL/6 mouse model. **Eur J Pharmacol** 815: 1 - 9. <https://doi.org/10.1016/j.ejphar.2017.10.003>
- Liu M, Zhang G, Song M, Wang J, Shen C, Chen Z, Huang X, Gao Y, Zhu C, Lin C, Mi S, Liu C. 2020a. Activation of farnesoid X receptor by schaftoside ameliorates acetaminophen-induced hepatotoxicity by modulating oxidative stress and inflammation. **Antioxid Redox Signal** 33: 87 - 116. <https://doi.org/10.1089/ars.2019.7791>
- Liu M, Zhang G, Wu S, Song M, Wang J, Cai W, Mi S, Liu C. 2020b. Schaftoside alleviates HFD-induced hepatic lipid accumulation in mice via upregulating farnesoid X receptor. **J Ethnopharmacol** 255: 112776. <https://doi.org/10.1016/j.jep.2020.112776>
- Liu R, Meng C, Zhang Z, Ma H, Lv T, Xie S, Liu Y, Wang C. 2020c. Comparative metabolism of schaftoside in healthy and calcium oxalate kidney stone rats by UHPLC-Q-TOF-MS/MS method. **Anal Biochem** 597: 113673. <https://doi.org/10.1016/j.ab.2020.113673>
- Locklear TD, Mahady GB, Michel J, De Gezelle J, Calderón AI, McLeroy JA, McLeroy JA, Doyle BJ, Carcache de Blanco EJ, Martinez KN, Perez AL. 2018. **Maternal health in Central America: The role of medicinal plants in the pregnancy-related health and well-being of indigenous women in Central America**. In Schwartz DA. Maternal death and pregnancy-related morbidity among indigenous women of Mexico and Central America. Ed. Springer Cham, Heidelberg, Germany. https://doi.org/10.1007/978-3-319-71538-4_5
- Ma KJ, Zhu ZZ, Yu CH, Zhang H, Liu J, Qin LP. 2011a. Analgesic, anti-inflammatory, and antipyretic activities of the ethanol extract from *Desmodium caudatum*. **Pharm Biol** 49: 403 - 407. <https://doi.org/10.3109/13880209.2010.520322>

- Ma X, Zheng C, Hu C, Rahman K, Qin L. 2011b. The genus *Desmodium* (Fabaceae)-traditional uses in Chinese medicine, phytochemistry and pharmacology. **J Ethnopharmacol** 138: 314 - 332. <https://doi.org/10.1016/j.jep.2011.09.053>
- Macha W, Mwakigonja AR, Masimba PJ, Machumi F. 2018. Evaluation of anti-ulcer potential of 80% ethanol extract of *Desmodium canescens* (L) DC. (Fabaceae) using the rat model of aspirin-induced ulcers. **J Adv Sci Res** 9: 26 - 33.
- Magalhães KDN, Guarniz WAS, Sá KM, Freire AB, Monteiro MP, Nojosa RT, Bieski IGC, Custódio JB, Balogun SO, Bandeira MAM. 2019. Medicinal plants of the Caatinga, northeastern Brazil: Ethnopharmacopeia (1980–1990) of the late professor Francisco José de Abreu Matos. **J Ethnopharmacol** 237: 314 - 353. <https://doi.org/10.1016/j.jep.2019.03.032>
- Magielse J, Arcoraci T, Breynaert A, van Dooren I, Kanyanga C, Franssen E, Van Hoof V, Vlietinck A, Apers S, Pieters L, Hermans N. 2013. Antihepatotoxic activity of a quantified *Desmodium adscendens* decoction and D-pinitol against chemically-induced liver damage in rats. **J Ethnopharmacol** 146: 250 - 256. <https://doi.org/10.1016/j.jep.2012.12.039>
- Mahajan K, Kumar D, Kumar S. 2015. Antiamnesic activity of extracts and fraction of *Desmodium gangeticum*. **J Pharm Technol Res Manag** 3: 67 - 77. <https://doi.org/10.15415/jptrm.2015.31006>
- Mahajan K, Kumar D, Kaushik D, Kumar S. 2017. Psychopharmacological evaluation of alkaloidal fraction of *Desmodium gangeticum*. **J Biol Act Prod Nat** 7: 34 - 38. <https://doi.org/10.1080/22311866.2017.1278720>
- Mahesh A, Jeyachandran R, Rao DM, Thangadurai D. 2012. Gastroprotective effect of *Desmodium gangeticum* roots on gastric ulcer mouse models. **Braz J Pharmacogn** 22: 1085 - 1091. <https://doi.org/10.1590/S0102-695X2012005000081>
- Malan DF, Neuba DFR, Kouakou KL. 2015. Medicinal plants and traditional healing practices in ehotile people, around the aby lagoon (eastern littoral of Côte d'Ivoire). **J Ethnobiol Ethnomed** 11: 21. <https://doi.org/10.1186/s13002-015-0004-8>
- Mall B, Gauchan DP, Chhetri RB. 2015. An ethnobotanical study of medicinal plants used by ethnic people in Parbat district of western Nepal. **J Ethnopharmacol** 165: 103 - 117. <https://doi.org/10.1016/j.jep.2014.12.057>
- Martini L, Solimé R. 2014. Proposal of employ of extract of *Desmodium adscendens* as anti-histaminic drug: Trials of efficacy by reflectance spectrophotometry. **Our Dermatol Online** 5: 29 - 32. <https://doi.org/10.7241/ourd.20141.05>
- Meena AK, Rao MM, Kandale A, Sannd R, Kiran, Niranjana U, Yadav AK. 2010. Standardisation of *Desmodium gangeticum*. A tradition ayurvedic plant. **Drug Invent Today** 2: 182 - 184.
- Mhlongo LS, Van Wyk BE. 2019. Zulu medicinal ethnobotany: New records from the Amandawe area of KwaZulu-Natal, South Africa. **S Afr J Bot** 122: 266 - 290. <https://doi.org/10.1016/j.sajb.2019.02.012>
- Mi J, Duan J, Zhang J, Lu J, Wang H, Wang Z. 2012. Evaluation of antiurolithic effect and the possible mechanisms of *Desmodium styracifolium* and *Pyrrosiae petiolosa* in rats. **Urol Res** 40: 151 - 161. <https://doi.org/10.1007/s00240-011-0401-y>
- Mohotti S, Rajendran S, Muhammad T, Strömstedt AA, Adhikari A, Burman R, de Silva ED, Göransson U, Hettiarachchi CM, Gunasekera S. 2020. Screening for bioactive secondary metabolites in Sri Lankan medicinal plants by microfractionation and targeted isolation of antimicrobial flavonoids from *Derris scandens*. **J Ethnopharmacol** 246: 112158. <https://doi.org/10.1016/j.jep.2019.112158>
- Monigatti M, Bussmann RW, Weckerle CS. 2013. Medicinal plant use in two Andean communities located at different altitudes in the Bolívar Province, Peru. **J Ethnopharmacol** 145: 450 - 464. <https://doi.org/10.1016/j.jep.2012.10.066>
- Muanda FN, Bouayed J, Djilani A, Yao C, Soulimani R, Dicko A. 2011a. Chemical composition and, cellular evaluation of the antioxidant activity of *Desmodium adscendens* leaves. **Evid Based Complement Alternat Med** 2011: 620862. <https://doi.org/10.1155/2011/620862>
- Muanda FN, Soulimani R, Dicko A. 2011b. Study on biological activities and chemical composition of extracts from *Desmodium adscendens* leaves. **J Nat Prod** 4: 100 - 107.
- Mukazayire MJ, Minani V, Ruffo CK, Bizuru E, Stévinny C, Duez P. 2011. Traditional phytotherapy remedies used in Southern Rwanda for the treatment of liver diseases. **J Ethnopharmacol** 138: 415 - 431. <https://doi.org/10.1016/j.jep.2011.09.025>
- Mukherjee PK. 2019. Therapeutic evaluation of herbs with enzyme inhibition studies. In Mukherjee PK: Quality

- control and evaluation of herbal drugs. Ed. Elsevier, Amsterdam, Netherlands.
<https://doi.org/10.1016/B978-0-12-813374-3.00014-4>
- Mun SH, Kang OH, Joung DK, Kim SB, Seo YS, Choi JG, Lee YS, Cha SW, Ahn YS, Han SH, Kwon DY. 2013. Combination therapy of sophoraflavanone B against MRSA: *In vitro* synergy testing. **Evid Based Complement Alternat Med** 2013: 823794. <https://doi.org/10.1155/2013/823794>
- Mun SH, Joung DK, Kim SB, Park SJ, Seo YS, Gong R, Choi JG, Shin DW, Rho JR, Kang OH, Kwon DY. 2014. The mechanism of antimicrobial activity of sophoraflavanone B against methicillin-resistant *Staphylococcus aureus*. **Foodborne Pathog Dis** 11: 234 - 239. <https://doi.org/10.1089/fpd.2013.1627>
- Nagarkar B, Jagtap S, Nirmal P, Narkhede A, Kuvalekar A, Kulkarni O, Harsulkar AM. 2013. Comparative evaluation of anti-inflammatory potential of medicinally important plants. **Int J Pharm Pharm Sci** 5: 239 - 243.
- Namukobe J, Kasenene JM, Kiremire BT, Byamukama R, Kamatenesi-Mugisha M, Krief S, Dumontet V, Kabasa JD. 2011. Traditional plants used for medicinal purposes by local communities around the Northern sector of Kibale National Park, Uganda. **J Ethnopharmacol** 136: 236 - 245.
<https://doi.org/10.1016/j.jep.2011.04.044>
- Neamsuvan O, Bunmee P. 2016. A survey of herbal weeds for treating skin disorders from Southern Thailand: Songkhla and Krabi Province. **J Ethnopharmacol** 193: 574 - 585.
<https://doi.org/10.1016/j.jep.2016.09.048>
- Neamsuvan O, Ruangrit T. 2017. A survey of herbal weeds that are used to treat gastrointestinal disorders from southern Thailand: Krabi and Songkhla provinces. **J Ethnopharmacol** 196: 84 - 93.
<https://doi.org/10.1016/j.jep.2016.11.033>
- Negi VS, Kewlani P, Pathak R, Bhatt D, Bhatt ID, Rawal RS, Sundriyal RC, Nandi SK. 2018. Criteria and indicators for promoting cultivation and conservation of medicinal and aromatic plants in Western Himalaya, India. **Ecol Indic** 93: 434 - 446. <https://doi.org/10.1016/j.ecolind.2018.03.032>
- Nikolajsen T, Nielsen F, Rasch V, Sørensen PH, Ismail F, Kristiansen U, Jäger AK. 2011. Uterine contraction induced by Tanzanian plants used to induce abortion. **J Ethnopharmacol** 137: 921 - 925.
<https://doi.org/10.1016/j.jep.2011.05.026>
- Nirawane RB, Gurav AM, Rao G, Mangal AK, Narayanam S. 2017. Pharmacognostic evaluation of *Desmodium oojeinense* (Roxb.) H. Ohashi—stem bark. **J Ayur Med Sci** 2: 261 - 268.
<https://doi.org/10.5530/jams.2017.2.33>
- Noor S, Rahman SMA, Ahmed Z, Das A, Hossain M. 2013. Evaluation of anti-inflammatory and antidiabetic activity of ethanolic extracts of *Desmodium pulchellum* Benth. (Fabaceae) barks on albino wistar rats. **J Appl Pharm Sci** 3: 48 - 51. <https://doi.org/10.7324/JAPS.2013.3709>
- Obakiro SB, Kiprop A, Kowino I, Kigundu E, Odero MP, Omara T, Bunalema L. 2020. Ethnobotany, ethnopharmacology, and phytochemistry of traditional medicinal plants used in the management of symptoms of tuberculosis in East Africa: A systematic review. **Trop Med Health** 48: 68.
<https://doi.org/10.1186/s41182-020-00256-1>
- Obulesu M, Rao DM. 2011. Effect of plant extracts on Alzheimer's disease: An insight into therapeutic avenues. **J Neurosci Rural Pract** 2: 56 - 61. <https://doi.org/10.4103/0976-3147.80102>
- Odonne G, Valadeau C, Alban-Castillo J, Stien D, Sauvain M, Bourdy G. 2013. Medical ethnobotany of the Chayahuita of the *Paranapura basin* (Peruvian Amazon). **J Ethnopharmacol** 146: 127 - 153.
<https://doi.org/10.1016/j.jep.2012.12.014>
- Olivera NC, Principe P. 2018. **Extracto etanólico de *Desmodium molliculum* (Kunth) DC. y su efecto antibacteriano sobre cultivos de *Escherichia coli*, estudios *in vitro***. Thesis, Universidad Inca Garcilaso de la Vega, Perú.
- Ozougwu VEO, Akuba BO. 2018. *In vitro* inhibition of carbohydrate metabolizing enzymes and *in vivo* anti-hyperglycaemic potential of methanol extract of *Desmodium velutinum* leaves. **Res J Med Plants** 12: 48 - 56. <https://doi.org/10.3923/rjmp.2018.48.56>
- Padal SB, Chandrasekhar P, Vijakumar Y. 2013. Traditional uses of plants by the Tribal Communities of Salugu Panchayati of Paderu Mandalam, Visakhapatnam, District, Andhra Pradesh, India. **Int J Comput Eng Res** 3: 98 - 103.
- Panda SK. 2014. Ethno-medicinal uses and screening of plants for antibacterial activity from Similipal Biosphere Reserve, Odisha, India. **J Ethnopharmacol** 151: 158 - 175. <https://doi.org/10.1016/j.jep.2013.10.004>

- Paniagua-Zambrana NY, Bussmann RW, Romero C. 2020. *Desmodium molliculum* (Kunth) DC. *Desmodium triflorum* (L.) DC. **Fabaceae**. In Paniagua-Zambrana NY, Bussmann RW. Ethnobotany of the Andes. Ethnobotany of Mountain Regions. Ed. Springer Cham, Heidelberg, Germany. https://doi.org/10.1007/978-3-030-28933-1_97
- Pitkin F, Black J, Stedford K, Valentine O, Knott J, Laverdure E. 2019. A comparative study of the antimicrobial effects of the *Desmodium incanum* and the *Moringa oleifera* extracts on select microbes. **Int J Public Health Health Syst** 4: 27 - 35.
- Prescott TAK, Briggs M, Kiapranis R, Simmonds MSJ. 2015. Medicinal plants of Papua New Guinea's Miu speaking population and a focus on their use of plant-slaked lime mixtures. **J Ethnopharmacol** 174: 217 - 223. <https://doi.org/10.1016/j.jep.2015.08.019>
- Priyadharshini R. 2016. **Memory enhancing activity of *Desmodium gangeticum* root extract on scopolamine induced swiss albino mice**. Thesis, The Tamil Nadu Dr. M.G.R. Medical University, India.
- Qin Y, Yang YC, Meng YL, Xia CF, Gao XM, Hu QF. 2015. Chalcones from *Desmodium podocarpum* and their cytotoxicity. **Chem Nat Compd** 51: 1062 - 1066. <https://doi.org/10.1007/s10600-015-1492-4>
- Quaye O, Cramer P, Ofosuhene M, Okine LKN, Nyarko AK. 2017. Acute and subchronic toxicity studies of aqueous extract of *Desmodium adscendens* (Sw) DC. **J Evid Based Complementary Altern Med** 22: 753 - 759. <https://doi.org/10.1177/2156587217736587>
- Ragavan V. 2017. **Neuropharmacological assessment of *Desmodium gangeticum* in partial sciatic nerve ligation in rat model: Role of inflammatory mediators**. Thesis, The Tamil Nadu Dr. M.G.R. Medical University, India.
- Rahman MK, Barua S, Islam MF, Islam MR, Sayeed MA, Parvin MS, Islam ME. 2013. Studies on the anti-diarrheal properties of leaf extract of *Desmodium puchellum*. **Asian Pac J Trop Biomed** 3: 639 - 643. [https://doi.org/10.1016/S2221-1691\(13\)60129-X](https://doi.org/10.1016/S2221-1691(13)60129-X)
- Rakotoarivelo NH, Rakotoarivony F, Ramarosandratana AV, Jeannoda VH, Kuhlman AR, Randrianasolo A, Bussmann RW. 2015. Medicinal plants used to treat the most frequent diseases encountered in Ambalabe rural community, Eastern Madagascar. **J Ethnobiol Ethnomed** 11: 68. <https://doi.org/10.1186/s13002-015-0050-2>
- Rammal H, Soulimani R. 2011. Immunoactive profile of aqueous extracts of *Desmodium adscendens* in Mice. **J Herbs Spices Med Plants** 17: 154 - 168. <https://doi.org/10.1080/10496475.2011.584290>
- Rashid MMU, Kabir H, Sayeed MA, Alam R, Kabir MF. 2013. Sedative and cytotoxic properties of the leaf extract of *Desmodium paniculatum*. **J Pharmacogn Phytochem** 2: 63 - 67.
- Rees KA, Bermudez C, Edwards DJ, Elliott AG, Ripen JE, Seta C, Huang JX, Cooper MA, Fraser JA, Yeo TC, Butler MS. 2015. Fleming-type prenylated chalcones from the Sarawak rainforest plant *Desmodium congestum*. **J Nat Prod** 78: 2141 - 2144. <https://doi.org/10.1021/acs.jnatprod.5b00410>
- Rastogi S, Pandey MM, Rawat AKS. 2011. And ethnomedicinal, phytochemical and pharmacological profile *Desmodium gangeticum* (L.) DC. and *Desmodium adscendens* (Sw.) DC. **J Ethnopharmacol** 136: 283 - 296. <https://doi.org/10.1016/j.jep.2011.04.031>
- Revanasiddappa BC, Vijay Kumar M, Shanmukha I, Kumar H, Aishwarya TC. 2019. *In vitro* antiurolithiatic activity of ethanolic extract of *Desmodium triflorum*. **Indian Drugs** 56: 76 - 79.
- Reyad-ul-ferdous M, Akter F, Islam A, Shahjahan DMS, Ansari P, Reza HM, Mahnuddin MA, Sultana J. 2015. Potential evaluation of *ex-vivo* cardio-protective activity of leaves of *Desmodium pulchelleum* (L) Benth. **World J Pharm Res** 4: 433 - 437.
- Rodgers AL, Webber D, Ramsout R, Gohel MDI. 2014. Herbal preparations affect the kinetic factors of calcium oxalate crystallization in synthetic urine: Implications for kidney stone therapy. **Urolithiasis** 42: 221 - 225. <https://doi.org/10.1007/s00240-014-0654-3>
- Rokaya MB, Münzbergová Z, Timsina B. 2010. Ethnobotanical study of medicinal plants from the Humla district of western Nepal. **J Ethnopharmacol** 130: 485 - 504. <https://doi.org/10.1016/j.jep.2010.05.036>
- Rossi-Santos B, de Oliveira Jacintho J, Milliken W, Messias MCTB. 2018. The role of exotic species in traditional pharmacopeias of the Cerrado: A case study in Southeast Brazil. **Econ Bot** 72: 38 - 55. <https://doi.org/10.1007/s12231-018-9406-6>
- Roumy V, Ruiz L, Ruiz Macedo JC, Gutierrez-Choquevilca AL, Samaille J, Arévalo Encinas L, Ruiz Mesia W, Ricopa Cotrina HE, Rivière C, Sahpaz S, Bordage S, Garçon G, Dubuisson J, Anthérieu S, Seron K, Hennebelle T. 2020. Viral hepatitis in the Peruvian Amazon: Ethnomedical context and phytomedical

- resource. **J Ethnopharmacol** 255: 112735. <https://doi.org/10.1016/j.jep.2020.112735>
- Sagar MK, Upadhyay A, Kalpana, Upadhyaya K. 2010. Evaluation of antinociceptive and anti-inflammatory properties of *Desmodium gangeticum* (L.) in experimental animal models. **Arch Appl Sci Res** 2: 33 - 43.
- Sagar MK, Upadhyaya K. 2013. Evaluation of *in vitro* anti-oxidant, anti-nociceptive and anti-inflammatory properties of *Desmodium gangeticum* (L.) in experimental animal models. **Am J Phytomed Clin Ther** 1: 256 - 265.
- Salazar Toaquiza AH. 2015. **Estudio fitoquímico del extracto etanólico *Desmodium adscendens* (Hierba del infante) y elaboración de una técnica de cuantificación del metabolito de mayor presencia**. Thesis, Escuela Superior Politécnica de Chimborazo, Ecuador.
- Sambandan K, Dhatchanamoorthy N. 2012. Studies on the phytodiversity of a Sacred Grove and its traditional uses in Karaikal District, U.T. Puducherry. **J Phytol** 4: 16 - 21.
- Samoisy AK, Mahomoodally F. 2016. Ethnopharmacological appraisal of culturally important medicinal plants and polyherbal formulas used against communicable diseases in Rodrigues Island. **J Ethnopharmacol** 194: 803 - 818. <https://doi.org/10.1016/j.jep.2016.10.041>
- Sankar V, Pangayarselvi B, Prathapan A, Raghu KG. 2013. *Desmodium gangeticum* (Linn.) DC. exhibits antihypertrophic effect in isoproterenol-induced cardiomyoblasts via amelioration of oxidative stress and mitochondrial alterations. **J Cardiovasc Pharmacol** 61: 23 - 34. <https://doi.org/10.1097/FJC.0b013e3182756ad3>
- Sasaki H, Kashiwada Y, Shibata H, Takaishi Y. 2012a. Prenylated flavonoids from *Desmodium caudatum* and evaluation of their anti-MRSA activity. **Phytochemistry** 82: 136 - 142. <https://doi.org/10.1016/j.phytochem.2012.06.007>
- Sasaki H, Kashiwada Y, Shibata H, Takaishi Y. 2012b. Prenylated flavonoids from the roots of *Desmodium caudatum* and evaluation of their antifungal activity. **Planta Med** 78: 1851 - 1856. <https://doi.org/10.1055/s-0032-1315391>
- Sasaki H, Shibata H, Imabayashi K, Takaishi Y, Kashiwada Y. 2014. Prenylated flavonoids from the stems and leaves of *Desmodium caudatum* and evaluation of their inhibitory activity against the film-forming growth of *Zygosaccharomyces rouxii* F51. **J Agric Food Chem** 62: 6345 - 6353. <https://doi.org/10.1021/jf5020439>
- Saucedo PY, Tocto JK. 2018. **Efecto hepatoprotector del extracto hidroalcohólico de *Desmodium molliculum* (manayupa) en ratas Holtzman con intoxicación hepática, inducida por paracetamol**. Thesis, Universidad María Auxiliadora, Perú.
- Saucedo PY, Tocto JK, Acaro FE. 2019. Efecto hepatoprotector del extracto hidroalcohólico de *Desmodium molliculum* (“manayupa”) en ratas con intoxicación hepática inducida por paracetamol. **Ágora Rev Cient** 6: e4. <https://doi.org/10.21679/arc.v6i2.131>
- Sayed MA, Kabir H, Rashid MMU, Bhuiyan MFA, Rashid MA. 2014. Thrombolytic activity of methanolic extracts of *Desmodium paniculatum* (L.) and *Sarcochlamys pulcherrima* (Roxb.). **Bangladesh Pharm J** 17: 67 - 69. <https://doi.org/10.3329/bpj.v17i1.22318>
- Seriki SA. 2019. Analysis of phytoconstituents of *Desmodium adscendens* in relation to its therapeutic properties. **Am J Biomed Sci Res** 2: 158 - 162. <https://doi.org/10.34297/AJBSR.2019.02.000598>
- Shanmugam S, Rajendran K, Suresh K. 2012. Traditional uses of medicinal plants among the rural people in Sivagangai district of Tamil Nadu, Southern India. **Asian Pac J Trop Biomed** 2: 429 - 434. [https://doi.org/10.1016/s2221-1691\(12\)60201-9](https://doi.org/10.1016/s2221-1691(12)60201-9)
- Sharma H, Chandola HM. 2013. Obesity in ayurveda: Dietary, lifestyle, and herbal considerations. In Watson RR, Preedy VR. Bioactive food as dietary interventions for diabetes. Ed. Academic Press, New York, USA. <https://doi.org/10.1016/B978-0-12-397153-1.00024-X>
- Sharma J, Gairola S, Gaur RD, Painuli RM, Siddiqi TO. 2013. Ethnomedicinal plants used for treating epilepsy by indigenous communities of sub-Himalayan region of Uttarakhand, India. **J Ethnopharmacol** 150: 353 - 370. <https://doi.org/10.1016/j.jep.2013.08.052>
- Sharma J, Gairola S, Sharma YP, Gaur RD. 2014. Ethnomedicinal plants used to treat skin diseases by Tharu community of district Udham Singh Nagar, Uttarakhand, India. **J Ethnopharmacol** 158: 140 - 206. <https://doi.org/10.1016/j.jep.2014.10.004>
- Sharma S, Kumar R. 2021. Sacred groves of India: Repositories of a rich heritage and tools for biodiversity conservation. **J Forest Res** 32, pages899–916 <https://doi.org/10.1007/s11676-020-01183-x>

- Silalahi M, Nisyawati, Walujo EB, Supriatna J, Mangunwardoyo W. 2015. The local knowledge of medicinal plants trader and diversity of medicinal plants in the Kabanjahe traditional market, North Sumatra, Indonesia. **J Ethnopharmacol** 175: 432 - 443. <https://doi.org/10.1016/j.jep.2015.09.009>
- Singh AK, Singh SK, Singh PP, Srivastava AK, Pandey KD, Kumar A, Yadav H. 2018. Biotechnological aspects of plants metabolites in the treatment of ulcer: A new prospective. **Biotechnol Rep** 18: e00256. <https://doi.org/10.1016/j.btre.2018.e00256>
- Singh H, Husain T, Agnihotri P, Pande PC, Khatoun S. 2014. An ethnobotanical study of medicinal plants used in sacred groves of Kumaon Himalaya, Uttarakhand, India. **J Ethnopharmacol** 154: 98 - 108. <https://doi.org/10.1016/j.jep.2014.03.026>
- Singh N, Tailang M, Mehta SC. 2016. Pharmacognostic and phytochemical screening of *Desmodium triflorum* Linn. **Int J Pharmacogn** 3: 43 - 49. [https://doi.org/10.13040/IJPSR.0975-8232.IJP.3\(1\).43-49](https://doi.org/10.13040/IJPSR.0975-8232.IJP.3(1).43-49)
- Singh R, Singh S, Jeyabalan G, Ali A. 2012. An overview on traditional medicinal plants as aphrodisiac agent. **J Pharmacogn Phytochem** 1: 43 - 56.
- Sivasankari B, Anandharaj M, Gunasekaran P. 2014. An ethnobotanical study of indigenous knowledge on medicinal plants used by the village peoples of Thoppampatti, Dindigul district, Tamilnadu, India. **J Ethnopharmacol** 153: 408 - 423. <https://doi.org/10.1016/j.jep.2014.02.040>
- Srivastava P, Singh VK, Singh BD, Srivastava G, Misra BB, Tripathi V. 2013. Screening and identification of salicin compound from *Desmodium gangeticum* and its *in vivo* anticancer activity and docking studies with cyclooxygenase (COX) proteins from *Mus musculus*. **J Proteomics Bioinform** 6: 109 - 124. <https://doi.org/10.4172/jpb.1000269>
- Srivats S, Ramakrishnan G, Paddikkala J, Kurian GA. 2012. An *in vivo* and *in vitro* analysis of free radical scavenging potential possessed by *Desmodium gangeticum* chloroform root extract: Interpretation by gsms. **Pak J Pharm Sci** 25: 27 - 34.
- Steven PE, Ude CM. 2017. Hypolipidaemic effect of aqueous extract of *Desmodium velutinum* leaf on albino wistar rats. **Adv Med Plant Res** 5: 47 - 50. <https://doi.org/10.30918/AMPR.54.17.024>
- Sukumaran S, Mary Sujin R, Sathia Geetha V, Jeeva S. 2020. Ethnobotanical study of medicinal plants used by the Kani tribes of Pechiparai Hills, Western Ghats, India. **Acta Ecol Sin** 41: 365 - 376. <https://doi.org/10.1016/j.chnaes.2020.04.005>
- Sun X, Tang X, Yang Q. 2018. An effective quantitative fingerprint method for evaluating the quality consistency of *Desmodium styracifolium*. **Pharmazie** 73: 579 - 584. <https://doi.org/10.1691/ph.2018.8590>
- Sundarrajan S, Arumugam M. 2017. Documentation of traditional Siddha medicines for skin diseases from Katpadi taluk, Vellore District, Tamil Nadu, India. **Eur J Integr Med** 9: 52 - 62. <https://doi.org/10.1016/j.eujim.2016.08.163>
- Sureshkumar J, Silambarasan R, Ayyanar M. 2017. An ethnopharmacological analysis of medicinal plants used by the Adiyar community in Wayanad district of Kerala, India. **Eur J Integr Med** 12: 60 - 73. <https://doi.org/10.1016/j.eujim.2017.04.006>
- Suriyavathana M, Usha V, Shanthanayaki M. 2010. Studies on phytochemical analysis and antioxidant activity of selected medicinal plants from kolli hills. **J Pharm Res** 3: 260 - 262.
- Suroowan S, Pynee KB, Mahomoodally MF. 2019. A comprehensive review of ethnopharmacologically important medicinal plant species from Mauritius. **South Afr J Bot** 122: 189 - 213. <https://doi.org/10.1016/j.sajb.2019.03.024>
- Suthari S, Vatsavaya SR, Majeti NVP. 2018. **Ethnobotanical explorations in Telangana, the Youngest State in Union of India: A synoptic account**. In Ozturk M, Hakeem KR. Plant and human health. Ed. Springer Cham, Heidelberg, Germany. https://doi.org/10.1007/978-3-319-93997-1_3
- Tabuti JRS, Kukunda CB, Waako PJ. 2010. Medicinal plants used by traditional medicine practitioners in the treatment of tuberculosis and related ailments in Uganda. **J Ethnopharmacol** 127: 130 - 136. <https://doi.org/10.1016/j.jep.2009.09.035>
- Taid TC, Rajkhowa RC, Kalita JC. 2014. A study on the medicinal plants used by the local traditional healers of Dhemaji district, Assam, India for curing reproductive health related disorders. **Adv Appl Sci Res** 5: 296 - 301.
- Tang M, Hernández I, Hernández CA. 1984. *Desmodium* spp. **Pastos y Forrajes** 7: 275 - 303.
- Tchicailat-Landou M, Petit J, Gaiani C, Miabangana ES, Kimbonguila A, Nzikou JM, Scher J, Matos L. 2018. Ethnobotanical study of medicinal plants used by traditional healers for the treatment of oxidative stress-

- related diseases in the Congo Basin. **J Herb Med** 13: 76 - 90.
<https://doi.org/10.1016/j.hermed.2018.05.002>
- Thakkar J, Santani D, Patel C, Prajapati P. 2015. Evaluation of defending potential of selected indigenous plants against chemical induced sperm abnormalities in mice. **Invent Rapid Ethnopharmacol** 2015: 1 - 4.
- Thakur M, Asrani RK, Thakur S, Sharma PK, Patil RD, Lal B, Parkash O. 2016. Observations on traditional usage of ethnomedicinal plants in humans and animals of Kangra and Chamba districts of Himachal Pradesh in North-Western Himalaya, India. **J Ethnopharmacol** 191: 280 - 300.
<https://doi.org/10.1016/j.jep.2016.06.033>
- Thandar S, Tun OM. 2015. *In vitro* micropropagation of *Desmodium triquetrum* DC., Myanmar medicinal plant. **Int J Tech Res Appl** 3: 133 - 138.
- Thirunavoukkarasu M, Balaji U, Behera S, Panda PK, Mishra BK. 2013. Biosynthesis of silver nanoparticle from leaf extract of *Desmodium gangeticum* (L.) DC. and its biomedical potential. **Spectrochim Acta A Mol Biomol Spectrosc** 116: 424 - 427. <https://doi.org/10.1016/j.saa.2013.07.033>
- Tinitana F, Rios M, Romero-Benavides JC, de la Cruz Rot M, Pardo-de-Santayana M. 2016. Medicinal plants sold at traditional markets in southern Ecuador. **J Ethnobiol Ethnomed** 12: 29.
<https://doi.org/10.1186/s13002-016-0100-4>
- Tolossa K, Debela E, Athanasiadou S, Tolera A, Ganga G, Houdijk JGM. 2013. Ethno-medicinal study of plants used for treatment of human and livestock ailments by traditional healers in South Omo, Southern Ethiopia. **J Ethnobiol Ethnomed** 9: 32. <https://doi.org/10.1186/1746-4269-9-32>
- Torri MC. 2013. Perceptions and uses of plants for reproductive health among traditional midwives in Ecuador: Moving towards intercultural pharmacological practices. **Midwifery** 29: 809 - 817.
<https://doi.org/10.1016/j.midw.2012.06.018>
- Towns AM, van Andel T. 2016. Wild plants, pregnancy, and the food-medicine continuum in the southern regions of Ghana and Benin. **J Ethnopharmacol** 179: 375 - 382. <https://doi.org/10.1016/j.jep.2016.01.005>
- Toyigbénan BF, Raphiou M, Marcellin A, Durand DN, Aklesso N, Sylvestre A, Haziz S, Adolphe A, Aly S, Lamine BM. 2018. Ethnobotanical survey of three species of *Desmodium* genus (*Desmodium ramosissimum*, *Desmodium gangeticum* and *Desmodium adscendens*) used in traditional medicine, Benin. **Int J Sci** 7: 26 - 33. <https://doi.org/10.18483/ijSci.1860>
- Traoré-Coulibaly M, Paré-Toé L, Sorgho H, Koog C, Kazienga A, Dabiré KR, Gouagna LC, Dakuyo PZ, Ouédraogo JB, Guissou IP, Guiguemdé TR. 2013. Antiplasmodial and repellent activity of indigenous plants used against malaria. **J Med Plants Res** 7: 3105 - 3111. <https://doi.org/10.5897/JMPR12.998>
- Tribess B, Pintarelli GM, Bini LA, Camargo A, Funez LA, de Gasper AL, Bertarello Zeni AL. 2015. Ethnobotanical study of plants used for therapeutic purposes in the Atlantic Forest region, Southern Brazil. **J Ethnopharmacol** 164: 136 - 146. <https://doi.org/10.1016/j.jep.2015.02.005>
- Tsafack BT, Boming CLK, Kühlborn J, Fouedjou RT, Ponou BK, Teponno RB, Fotio AL, Barboni L, Opatz T, Nguelefack TB, Taponjdjou LA. 2018. Protective effects of extracts, isolated compounds from *Desmodium uncinatum* and semi-synthetic isovitexin derivatives against lipid peroxidation of hepatocyte's membranes. **Adv Biol Chem** 8: 101 - 120. <https://doi.org/10.4236/abc.2018.86009>
- Tsai JC, Huang GJ, Chiu TH, Huang SS, Huang SC, Huang TH, Lai SC, Lee CY. 2011. Antioxidant activities of phenolic components from various plants of *Desmodium* species. **Afr J Pharm Pharmacol** 5: 468 - 476.
<https://doi.org/10.5897/AJPP11.059>
- Upasani MS, Upasani SV, Beldar VG, Beldar CG, Gujarathi PP. 2018. Infrequent use of medicinal plants from India in snakebite treatment. **Integr Med Res** 7: 9 - 26. <https://doi.org/10.1016/j.imr.2017.10.003>
- Upasani SV, Beldar VG, Tatiya AU, Upasani MS, Surana SJ, Patil DS. 2017. Ethnomedicinal plants used for snakebite in India: A brief overview. **Integr Med Res** 6: 114 - 130.
<https://doi.org/10.1016/j.imr.2017.03.001>
- Valadeau C, Castillo JA, Sauvain M, Lores AF, Bourdy G. 2010. The rainbow hurts my skin: Medicinal concepts and plants uses among the Yaneshas (Amueshas), an Amazonian Peruvian ethnic group. **J Ethnopharmacol** 127: 175 - 192. <https://doi.org/10.1016/j.jep.2009.09.024>
- van Dooren I, Foubert K, Bijttebier S, Breynaert A, Theunis M, Exarchou V, Claeys M, Hermans N, Apers S, Pieters L. 2018. *In vitro* gastrointestinal biotransformation and characterization of a *Desmodium adscendens* decoction: The first step in unravelling its behaviour in the human body. **J Pharm Pharmacol** 70: 1414 - 1422. <https://doi.org/10.1111/jphp.12978>

- Vanni RO. 2001. El género *Desmodium* (Leguminosae, Desmodieae) en Argentina. **Darwiniana** 39: 255 - 285. <https://doi.org/10.14522/darwiniana.2014.393-4.236>
- Vedpal, Dhanabal SP, Dhamodaran P, Duraiswamy B, Chaitnya MVNL, Jeyaprakash MR, Jayaram U. 2016. Pharmacognostical characterization, phytochemical screening and finger print profile of the plant *Desmodium gangeticum* DC. **Int J Pharmacogn Phytochem Res** 8: 1271 - 1277.
- Vedpal, Jayaram U, Wadhvani A, Dhanabal SP. 2019. Isolation and characterization of flavonoids from the roots of medicinal plant *Tadehagi triquetrum* (L.) H. Ohashi. **Nat Prod Res** 34: 1913 - 1918. <https://doi.org/10.1080/14786419.2018.1561679>
- Venkatachalam U, Muthukrishnan S. 2012. Free radical scavenging activity of ethanolic extract of *Desmodium gangeticum*. **J Acute Med** 2: 36 - 42. <https://doi.org/10.1016/j.jacme.2012.04.002>
- Venkatachalam U, Muthukrishnan S. 2013. Hepatoprotective activity of *Desmodium gangeticum* in paracetamol induced liver damage in rats. **Biomed Prev Nutr** 3: 273 - 277. <https://doi.org/10.1016/j.bionut.2012.12.003>
- Venkatachalapathi A, Sangeeth T, Ali MA, Tamilselvi SS, Paulsamy S, Al-Hemaidc FMA. 2018. Ethnomedicinal assessment of Irula tribes of Walayar valley of Southern Western Ghats, India. **Saudi J Biol Sci** 25: 760 - 775. <https://doi.org/10.1016/j.sjbs.2016.10.011>
- Vipin PS, Johannah NM, Menon S, Lawrence L, Padikkala J. 2015. Antithrombotic and anticoagulant activities of *Desmodium gyrans* (DC). **J Chem Pharm Res** 7: 973 - 980.
- Wagh VV, Jain AK. 2010. Traditional herbal remedies among Bheel and Bhilala tribes of Jhabua District Madhya Pradesh. **Int J Biol Technol** 1: 20 - 24.
- Wagh VV, Jain AK. 2020. Ethnopharmacological survey of plants used by the Bhil and Bhilala ethnic community in dermatological disorders in Western Madhya Pradesh, India. **J Herb Med** 19: 100234. <https://doi.org/10.1016/j.hermed.2018.09.005>
- Wagner H, Bauer R, Melchart D, Xiao PG, Staudinger A. 2015. Herba *Desmodii styracifolii* – Guangjinqiancao, In Wagner H, Bauer R, Melchart D, Xiao PG, Staudinger A: Chromatographic fingerprint analysis of herbal medicines. Ed. Springer Cham, Heidelberg, Germany. https://doi.org/10.1007/978-3-319-06047-7_14
- Waisundara VY, Watawana MI. 2014. The classification of Sri Lankan medicinal herbs: An extensive comparison of the antioxidant activities. **J Tradit Complement Med** 4: 196 - 202. <https://doi.org/10.4103/2225-4110.126175>
- Wang H, Yang JX, Liu GY, Lou J, Li L, Hu Q, Gao XM. 2015. A new isoflavanone from *Desmodium oxyphyllum* and its cytotoxicity. **Asian J Chem** 27: 2019 - 2021. <https://doi.org/10.14233/ajchem.2015.17657>
- Wang Z, Hwang SH, Guillen Quispe YN, Gonzales Arce PH, Lim SS. 2017. Investigation of the antioxidant and aldose reductase inhibitory activities of extracts from Peruvian tea plant infusions. **Food Chem** 231: 222 - 230. <https://doi.org/10.1016/j.foodchem.2017.03.107>
- Woerdenbag HJ, Nguyen TM, Vu DV, Tran H, Nguyen DT, Tran TV, De Smet PAGM, Brouwers JRBJ. 2012. Vietnamese traditional medicine from a pharmacist's perspective. **Exp Rev Clin Pharmacol** 5: 459 - 477. <https://doi.org/10.1586/ecp.12.34>
- WHO (World Health Organization). 2013. **WHO traditional medicine strategy: 2014-2023**. Ed. World Health Organization, Geneva, Switzerland.
- Wu J, Ma G, Li H, Wu C, Tan Y, Zhang T, Chen F, Guo P, Zhang X. 2014. Chemical constituents with antihyperlipidemic activities from *Desmodium triquetrum*. **Chin Herb Med** 6: 324 - 327. [https://doi.org/10.1016/S1674-6384\(14\)60049-6](https://doi.org/10.1016/S1674-6384(14)60049-6)
- Xi S, Gong Y. 2017. **Herbs that promote urination and percolate dampness**. In Xi S, Gong Y: Essentials of Chinese Materia Medica and Medical Formulas. Ed. Academic Press, New York, USA. <https://doi.org/10.1016/B978-0-12-812722-3.00006-3>
- Xiang S, Zhou J, Li J, Wang Q, Zhang Q, Zhao Z, Zhang L, Chen Z, Wang S. 2015. Antilithic effects of extracts from different polarity fractions of *Desmodium styracifolium* on experimentally induced urolithiasis in rats. **Urolithiasis** 43: 433 - 439. <https://doi.org/10.1007/s00240-015-0795-z>
- Xie H, Li J, Gao H, Wang J, Li C, Xu Y, Liu C. 2018. Total flavone of *Desmodium styracifolium* relieved apoptosis and autophagy of COM-induced HK-2 cells by regulating KIM-1 via p38/MAPK pathway. **Mol Cell Biochem** 442: 169 - 175. <https://doi.org/10.1007/s11010-017-3201-z>
- Xie H, Yang R, Xu Y, Liu C. 2019. Total flavones of *Desmodium styracifolium* antagonize calcium oxalate monohydrate-triggered IL-2R β expression in renal epithelial cells. **Trop J Pharm Res** 18: 1077 - 1081.

- <https://doi.org/10.4314/tjpr.v18i5.23>
Xu QN, Zhu D, Wang GH, Lin T, Sun CL, Ding R, Tian WJ, Chen HF. 2020. Phenolic glycosides and flavonoids with antioxidant and anticancer activities from *Desmodium caudatum*. **Nat Prod Res** 1 - 8.
<https://doi.org/10.1080/14786419.2020.1739044>
- Yadav AK, Agrawal J, Pal A, Gupta MM. 2013. Novel anti-inflammatory phytoconstituents from *Desmodium gangeticum*. **Nat Prod Res** 27: 1639 - 1645. <https://doi.org/10.1080/14786419.2012.761620>
- Yasmeen N, Ellandala R, Sujatha K, Veenavamshee R. 2011. Evaluation of renal protective effects of *Desmodium gangeticum* L. in streptozotocin – induced diabetic rats. **Int J Res Pharm Chem** 1: 121 - 128.
- Yasmeen N, Sujatha K. 2013. Evaluation of anti-inflammatory activity of ethanolic whole plant extract of *Desmodium gangeticum* L. **Int J Phytomed** 5: 347 - 349.
- Yazbek PB, Tezoto J, Cassas F, Rodrigues E. 2016. Plants used during maternity, menstrual cycle and other women's health conditions among Brazilian cultures. **J Ethnopharmacol** 179: 310 - 331.
<https://doi.org/10.1016/j.jep.2015.12.054>
- Yetein MH, Houessou LG, Lougbégnon TO, Teko O, Tente B. 2013. Ethnobotanical study of medicinal plants used for the treatment of malaria in plateau of Allada, Benin (West Africa). **J Ethnopharmacol** 146: 154 - 163.
<https://doi.org/10.1016/j.jep.2012.12.022>
- Zhang G, Chen Y, Tariq K, An Z, Wang S, Kumar Memon F, Zhang W, Si H. 2020. Optimization of ultrasound assisted extraction method for polyphenols from *Desmodium triquetrum* (L.) DC. with response surface methodology (RSM) and *in vitro* determination of its antioxidant properties. **Czech J Food Sci** 38: 115 - 122. <https://doi.org/10.17221/230/2019-CJFS>
- Zhang YQ, Luo JG, Han C, Xu JF, Kong LY. 2015. Bioassay-guided preparative separation of angiotensin-converting enzyme inhibitory C-flavone glycosides from *Desmodium styracifolium* by recycling complexation high-speed counter-current chromatography. **J Pharm Biomed Anal** 102: 276 - 281.
<https://doi.org/10.1016/j.jpba.2014.09.027>
- Zheng X, Wei J, Sun W, Li R, Liu S, Dai H. 2013. Ethnobotanical study on medicinal plants around Limu Mountains of Hainan Island, China. **J Ethnopharmacol** 148: 964 - 974.
<https://doi.org/10.1016/j.jep.2013.05.051>
- Zhi KK, Yang ZD, Shi DF, Yao XJ, Wang MG. 2014. Desmodeganine, a new alkaloid from the leaves of *Desmodium elegans* as a potential monoamine oxidase inhibitor. **Fitoterapia** 98: 160 - 165.
<https://doi.org/10.1016/j.fitote.2014.07.022>
- Zhou C, Luo JG, Kong LY. 2012. Quality evaluation of *Desmodium styracifolium* using high-performance liquid chromatography with photodiode array detection and electrospray ionisation tandem mass spectrometry. **Phytochem Anal** 23: 240 - 247. <https://doi.org/10.1002/pca.1349>
- Zhou J, Jin J, Li X, Zhao Z, Zhang L, Wang Q, Li J, Zhang Q, Xiang S. 2018. Total flavonoids of *Desmodium styracifolium* attenuates the formation of hydroxy-L-proline-induced calcium oxalate urolithiasis in rats. **Urolithiasis** 46: 231 - 241. <https://doi.org/10.1007/s00240-017-0985-y>
- Zhu ZZ, Ma KJ, Ran X, Zhang H, Zheng CJ, Han T, Zhang QY, Qin LP. 2011. Analgesic, anti-inflammatory and antipyretic activities of the petroleum ether fraction from the ethanol extract of *Desmodium podocarpum*. **J Ethnopharmacol** 133: 1126 - 1131. <https://doi.org/10.1016/j.jep.2010.11.042>
- Zielińska-Pisklak MA, Kaliszewska D, Stolarczyk M, Kiss AK. 2015. Activity-guided isolation, identification and quantification of biologically active isomeric compounds from folk medicinal plant *Desmodium adscendens* using high performance liquid chromatography with diode array detector, mass spectrometry and multidimensional nuclear magnetic resonance spectroscopy. **J Pharm Biomed Anal** 102: 54 - 63.
<https://doi.org/10.1016/j.jpba.2014.08.033>